Index for Volume 92 of Plant Disease

AUTHOR AND SUBJECT INDEX. Page numbers of errata are in italic. N indicates disease note.

Abad-Campos, P., 836N
Abou Ghanem- Sabanadzovic, N., 1254N
Abou Kubaa, R., 1468N
Abrahamson, M. D., 623
Abrantes, I. M., de O., 1104
Abril, M., 106
Abu-Ghorrah, M., 649N
Acer spp., powdery mildew, Wisconsin, 485N
—*A. negundo*, powdery mildew, erratum, *983*
Acidovorax avenae, on watermelon, Hungary, 834N
Actinidia spp.
—*A. chinensis*, bacterial blossom blight, Italy, 1707N
—*A. deliciosa* (see also Kiwi)
—wood decay, environmental factors, 1150; leaf blight, Greece, 650N
Actinobacteria, '*Candidatus* Liberibacter asiaticus' co-cultivation, from citrus, 1547
Adams, M. J., 1190
Adaskaveg, J. E., 261, 301
Addante, R., 1468N
Adkins, S., 648N, 975N, 1119
Afolabi, C. G., 772
African cassava mosac virus, on soybean, Nigeria, 1709N
Agarwal, S., 1710N
Ageratum yellow vein virus, on tobacco, China, 177N
Agindotan, B., 730
Agrobacterium spp., on knapweed, crown gall, 487N
—*A. tumefaciens*, on *Euphorbia esula/virgata*, Europe, 1710N
Agrostis spp.
—*A. palustris*, Pythium root dysfunction, 862
—*A. stolonifera:* anthracnose, Mississippi and Alabama, 1475N; dollar spot, fungicide synergism, 601; Pythium root dysfunction, temperature effect, 1669
Ahoonmanesh, A., 1280
Ah-You, N., 1591N
Aiello, D., 836N, 1367N, 1590N, 1708N
Aino, M., 1559
Aitken, E. A. B., 313N, 1369N
Ajayakumar, P. V., 832N
Ajuga multiflora, blackleg, China, 981N
Ajwa, H. A., 1537
Akad, F., 648N, 1251N
Akamatsu, H. O., 833N
Akbudak, M. A., 1299
Akromah, R., 1585N
Aktaş, H., 1299
Alabi, O. J., 833N, 1709N
Alam, M., 832N
Alaniz, S., 836N
Al-Azri, M., 313N
Alcacio-Rangel, S., 482N
Aldwinckle, H. S., 385, 714
Alexander, B. J. R., 486N, 1367N
Alexandrova, A., 1366N
Alfalfa (see also *Medicago* spp.)
—brown root rot, Colorado and New Mexico, 653N
—spring black stem and leaf spot, Washington, 833N
Alfalfa mosaic virus, on *Viburnum lucidum*, Spain, 1132N
Alfaro-Fernández, A., 831N, 1132N, 1469N, 1590N
Alioto, D., 649N
Allatta, C., 313N
Allen, C., 1674
Allen, J. K., 318N
Allen, T. W., 344, 351
Almond, leaf scorch, yield and management, 409
Al-Mughrabi, K. I., 172N
Alopecurus carolinianus, rice blast, alternative host, 504
Al-Sa'di, A. M., 313N
Al-Said, F. A., 313N
Alternanthera mosaic virus, on Angelonia, USA, 1473N
Alternaria sp., on strawberry, Taiwan, 1248N
—*A. alternata:* on melon, leaf spot in USA, 652N; on olive, Spain, 1252N
—*A. carthami*, on snow lotus, leaf spot, cover photo, February
—*A. compacta*, on *Hydrangea anomala*, Italy, 173N
—*A. panax*, on ginseng, fungicide spray timing, 1611
—*A. solani:* on potato: fungicide application strategy, 561; QoI fungicide, Canada, 1707N; resistance and chemical control, 555
Alvarez, A. M., 1444
Alvarez, L. A., 1357
Alvarez-Loayza, P., 974N
Alzugaray, R., 980N
Amane, M. I. V., 401
Amari, K., 1139N
Amelanchier sp., bacterial blight, Bulgaria, 1251N
Amiri, A., 415, 1099, 1293
Ammi majus, *Bidens mottle virus* and *Apium virus Y*, Florida, 975N
Ampuero, J., 1529
Amylostereum areolatum, symbiont on *Sirex noctilio*, on pine, Canada, 1138N
An, L. J., 171N
An, S. H., 1472N
Anastasio, G., 1139N
Anderson, J. A., 1111
Anderson, J. A. D., 1474N
Andrade-Piedra, J. L., 569
Anemone coronaria, broomrape, Israel, 655N
Angelonia anigustifolia, Alternanthera mosaic virus, USA, 1473N
Angelonia flower break virus, on *Nemesia* spp., California, 651N
Anil Kumar, K. S., 1469N
Antibiotics
—physcion, downy and powdery mildew on cucumber, sensitivity, 1451
—streptomycin, *Erwinia amylovora* resistance, 714
Antignus, Y., 1033
Apaza-Tapia, W., 982N
Aphis glycines, Potato leafroll virus vector, 1515
Apium virus Y
—on *Ammi majus*, Florida, 975N
—on cilantro, celery, and parsley, California, 1254N
—on poison hemlock and celery, Washington, 1710N
Apple (see also *Malus* spp.)
—bitter rot, China, 1474N
—fire blight: epidemic analysis, 1349; flower age and hypanthium infection, 137; rootstock resistance, 385
—scab, isolate variation, Asia and Europe, 247
—sooty blotch and flyspeck, warning system, 164, 1215
—sooty blotch and flyspeck complex, identification technique, 794
—Sphaeropsis rot, Washington, 940
Apple stem grooving virus, Citrus tatterleaf virus, facilitated by, on lemon, 746
Aragon-Caballero, L. M., 982N
Arai, M., 1164
Aranda, M. A., 1139N
Aranda, S., 317N
Argyranthemum frutescens
—powdery mildew, Italy, 1135N
—*Sclerotinia sclerotiorum*, Italy, 1250N
Armengol, J., 158, 595, 832N, 836N, 980N
Armillaria tabescens, on peach, propiconazole effect, 1293
Aroca, A., 832N
Artichoke, *Verticillium* spp. on, species characterization, 69
Artocarpus heterophyllus, Lasiodiplodia fruit rot, Taiwan, 1137N
Ascochyta spp.
—*A. pisi*, on pea, Spain, 1365N
—*A. rabiei*, on chickpea: blight, cover photo, February; fungicide resistance, 295
Asiedu, R., 833N
Asimina triloba, sooty blotch and flyspeck, Iowa, 1366N
Asparagus officinalis, root rot, Peru, 982N
Aspergillus spp.
—*A. carbonarius*, on grape, California, 651N
—*A. flavus:* on *Pseudomalmea declina*, cover photo, June; on seeds of *Oxandra, Pseudomalmea*, and *Unonopsis* spp., Peru, 974N
—*A. niger:* on grape, canker, 1471N; on *Zingiber officinale*, India, 1368N
Atalantia buxifolia, '*Candidatus* Liberibacter asiaticus', China, 314N
Atallah, Z. K. 555, 561
Atkinson, L. M., 623, 1339
Aucklandia lappa, stalk rot, China, 1365N
Avant., J. B., 1400
Avendano, F., 4
Aysan, Y., 176N

Babadoost, M., 61, 143
Bacteriophage, citrus canker and bacterial spot controlled by, 1048
Baeyen, S., 1251N
Bağcı, S. A., 1299
Baird, R., 482N
Baiswar, P., 1586N
Bajet, N. B., 234
Baker, C. A., 975N, 1119
Balci, Y., 966
Balestra, G. M., 981N, 1707N
Balogh, B., 1048
Banana, black leaf spot, Georgia, 1470N
Banana streak OL (badna) virus, mealybug vector, 1158
Bananej, K., 1135N
Bandyopadhyay, R., 772, 947
Barbara, D. J., 247, 324
Barbetti, M. J., 650N, 1208
Barbosa, J. C., 1709N
Bardas, G. A., 653N,1427, 1473N
Barley
—Fusarium head blight, fungicides and mycotoxins, timing, 1164
—spot blotch, host–pathogen interaction, 225
Barley yellow dwarf virus, on wheat and barley, Czech Republic, 1587N
Barranco, D., 1252N
Bársony, Cs., 834N
Bascón, J., 1357

Index for Volume 92 of Plant Disease

AUTHOR AND SUBJECT INDEX. Page numbers of errata are in italic. N indicates disease note.

Abad-Campos, P., 836N
Abou Ghanem- Sabanadzovic, N., 1254N
Abou Kubaa, R., 1468N
Abrahamson, M. D., 623
Abrantes, I. M., de O., 1104
Abril, M., 106
Abu-Ghorrah, M., 649N
Acer spp., powdery mildew, Wisconsin, 485N
—*A. negundo*, powdery mildew, erratum, *983*
Acidovorax avenae, on watermelon, Hungary, 834N
Actinidia spp.
—*A. chinensis*, bacterial blossom blight, Italy, 1707N
—*A. deliciosa* (see also Kiwi)
—wood decay, environmental factors, 1150; leaf blight, Greece, 650N
Actinobacteria, '*Candidatus* Liberibacter asiaticus' co-cultivation, from citrus, 1547
Adams, M. J., 1190
Adaskaveg, J. E., 261, 301
Addante, R., 1468N
Adkins, S., 648N, 975N, 1119
Afolabi, C. G., 772
African cassava mosac virus, on soybean, Nigeria, 1709N
Agarwal, S., 1710N
Ageratum yellow vein virus, on tobacco, China, 177N
Agindotan, B., 730
Agrobacterium spp., on knapweed, crown gall, 487N
—*A. tumefaciens*, on *Euphorbia esula/virgata*, Europe, 1710N
Agrostis spp.
—*A. palustris*, Pythium root dysfunction, 862
—*A. stolonifera:* anthracnose, Mississippi and Alabama, 1475N; dollar spot, fungicide synergism, 601; Pythium root dysfunction, temperature effect, 1669
Ahoonmanesh, A., 1280
Ah-You, N., 1591N
Aiello, D., 836N, 1367N, 1590N, 1708N
Aino, M., 1559
Aitken, E. A. B., 313N, 1369N
Ajayakumar, P. V., 832N
Ajuga multiflora, blackleg, China, 981N
Ajwa, H. A., 1537
Akad, F., 648N, 1251N
Akamatsu, H. O., 833N
Akbudak, M. A., 1299
Akromah, R., 1585N
Aktaş, H., 1299
Alabi, O. J., 833N, 1709N
Alam, M., 832N
Alaniz, S., 836N
Al-Azri, M., 313N
Alcacio-Rangel, S., 482N
Aldwinckle, H. S., 385, 714
Alexander, B. J. R., 486N, 1367N
Alexandrova, A., 1366N
Alfalfa (see also *Medicago* spp.)
—brown root rot, Colorado and New Mexico, 653N
—spring black stem and leaf spot, Washington, 833N
Alfalfa mosaic virus, on *Viburnum lucidum*, Spain, 1132N
Alfaro-Fernández, A., 831N, 1132N, 1469N, 1590N
Alioto, D., 649N
Allatta, C., 313N
Allen, C., 1674
Allen, J. K., 318N
Allen, T. W., 344, 351
Almond, leaf scorch, yield and management, 409
Al-Mughrabi, K. I., 172N
Alopecurus carolinianus, rice blast, alternative host, 504
Al-Sa'di, A. M., 313N
Al-Said, F. A., 313N
Alternanthera mosaic virus, on Angelonia, USA, 1473N
Alternaria sp., on strawberry, Taiwan, 1248N
—*A. alternata:* on melon, leaf spot in USA, 652N; on olive, Spain, 1252N
—*A. carthami*, on snow lotus, leaf spot, cover photo, February
—*A. compacta*, on *Hydrangea anomala*, Italy, 173N
—*A. panax*, on ginseng, fungicide spray timing, 1611
—*A. solani:* on potato: fungicide application strategy, 561; QoI fungicide, Canada, 1707N; resistance and chemical control, 555
Alvarez, A. M., 1444
Alvarez, L. A., 1357
Alvarez-Loayza, P., 974N
Alzugaray, R., 980N
Amane, M. I. V., 401
Amari, K., 1139N
Amelanchier sp., bacterial blight, Bulgaria, 1251N
Amiri, A., 415, 1099, 1293
Ammi majus, *Bidens mottle virus* and *Apium virus Y*, Florida, 975N
Ampuero, J., 1529
Amylostereum areolatum, symbiont on *Sirex noctilio*, on pine, Canada, 1138N
An, L. J., 171N
An, S. H., 1472N
Anastasio, G., 1139N
Anderson, J. A., 1111
Anderson, J. A. D., 1474N
Andrade-Piedra, J. L., 569
Anemone coronaria, broomrape, Israel, 655N
Angelonia anigustifolia, Alternanthera mosaic virus, USA, 1473N
Angelonia flower break virus, on *Nemesia* spp., California, 651N
Anil Kumar, K. S., 1469N
Antibiotics
—physcion, downy and powdery mildew on cucumber, sensitivity, 1451
—streptomycin, *Erwinia amylovora* resistance, 714
Antignus, Y., 1033
Apaza-Tapia, W., 982N
Aphis glycines, Potato leafroll virus vector, 1515
Apium virus Y
—on *Ammi majus*, Florida, 975N
—on cilantro, celery, and parsley, California, 1254N
—on poison hemlock and celery, Washington, 1710N
Apple (see also *Malus* spp.)
—bitter rot, China, 1474N
—fire blight: epidemic analysis, 1349; flower age and hypanthium infection, 137; rootstock resistance, 385
—scab, isolate variation, Asia and Europe, 247
—sooty blotch and flyspeck, warning system, 164, 1215
—sooty blotch and flyspeck complex, identification technique, 794
—Sphaeropsis rot, Washington, 940
Apple stem grooving virus, Citrus tatterleaf virus, facilitated by, on lemon, 746
Aragon-Caballero, L. M., 982N
Arai, M., 1164
Aranda, M. A., 1139N
Aranda, S., 317N
Argyranthemum frutescens
—powdery mildew, Italy, 1135N
—*Sclerotinia sclerotiorum*, Italy, 1250N
Armengol, J., 158, 595, 832N, 836N, 980N
Armillaria tabescens, on peach, propiconazole effect, 1293
Aroca, A., 832N
Artichoke, *Verticillium* spp. on, species characterization, 69
Artocarpus heterophyllus, Lasiodiplodia fruit rot, Taiwan, 1137N
Ascochyta spp.
—*A. pisi*, on pea, Spain, 1365N
—*A. rabiei*, on chickpea: blight, cover photo, February; fungicide resistance, 295
Asiedu, R., 833N
Asimina triloba, sooty blotch and flyspeck, Iowa, 1366N
Asparagus officinalis, root rot, Peru, 982N
Aspergillus spp.
—*A. carbonarius*, on grape, California, 651N
—*A. flavus:* on *Pseudomalmea declina*, cover photo, June; on seeds of *Oxandra, Pseudomalmea*, and *Unonopsis* spp., Peru, 974N
—*A. niger:* on grape, canker, 1471N; on *Zingiber officinale*, India, 1368N
Atalantia buxifolia, '*Candidatus* Liberibacter asiaticus', China, 314N
Atallah, Z. K. 555, 561
Atkinson, L. M., 623, 1339
Aucklandia lappa, stalk rot, China, 1365N
Avant., J. B., 1400
Avendano, F., 4
Aysan, Y., 176N

Babadoost, M., 61, 143
Bacteriophage, citrus canker and bacterial spot controlled by, 1048
Baeyen, S., 1251N
Bağcı, S. A., 1299
Baird, R., 482N
Baiswar, P., 1586N
Bajet, N. B., 234
Baker, C. A., 975N, 1119
Balci, Y., 966
Balestra, G. M., 981N, 1707N
Balogh, B., 1048
Banana, black leaf spot, Georgia, 1470N
Banana streak OL (badna) virus, mealybug vector, 1158
Bananej, K., 1135N
Bandyopadhyay, R., 772, 947
Barbara, D. J., 247, 324
Barbetti, M. J., 650N, 1208
Barbosa, J. C., 1709N
Bardas, G. A., 653N,1427, 1473N
Barley
—Fusarium head blight, fungicides and mycotoxins, timing, 1164
—spot blotch, host–pathogen interaction, 225
Barley yellow dwarf virus, on wheat and barley, Czech Republic, 1587N
Barranco, D., 1252N
Bársony, Cs., 834N
Bascón, J., 1357

Batchelor, D. L., 1643
Bates, G. D., 763
Batla, M. A., 482N, 1468N
Batzer, J. C., 164, 794, 1366N
Baughman, T. A., 482N, 1468N
Baysal-Gurel, F., 1387
Bean yellow mosaic virus, phylogenetic analysis, four continents, 1596
Becerra, C. H., 1364N
Been, B. O., 1132N
Beet mild curly top virus, on chili pepper, Mexico, 650N
Beet necrotic yellow vein virus, on sugar beet:
—postharvest storage loss, 575
—storability, 575
Beet necrotic yellow vein virus, sugar beet:
—storability effect, 581
—suppression by *Beet oak-leaf virus*, 1043
Beet oak-leaf virus, on sugar beet, *Beet necrotic yellow vein virus* suppressed by, 1043
Beet western yellows virus, on sugar beet, molecular characterization, 51
Begonia, chlorotic ringspot, Taiwan, 1247N
Belisario, A., 651N
Bella, P., 835N
Bellis perennis, powdery mildew, Italy, 484N
Beltrán, R., 158
Bemisia tabaci
—begomovirus vector, on cucurbits, California, 781
—*Tomato torrado virus* vector, pepper and eggplant, 1139N
Benimadhu, S., 980N
Benson, D. M., 474, 719
Berbegal, M., 595
Berganin Filho, A., 1709N
Bergeron, M.-J., 1138N
Bergstrom, G. C., 653N
Berner, D. K, 30, 174N, 315N, 316N, 431, 983N, 1366N
Bertetti, D., 173N, 313N, 975N, 1135N, 1367N, 1711N
Bester, W., 1133N
Beuve, M., 51
Bezdekova, V., 484N
Bidens mottle virus, on *Ammi majus*, Florida, 975N
Biggs, A. R., 1349, 1559
Bilgi, V. N., 1197
Biological control
—bacteriophage for citrus canker and bacterial spot, 1048
—Dutch elm disease, feature, 192
—lettuce drop by *Sclerotinia* spp., 1625
—*Muscodor albus* for Phytophthora blight on pepper and squash, 1488
Bipolaris sorokiniana, on barley, host–pathogen interaction, genotypes, 225
Black, H., 504
Black raspberry necrosis virus, on *Rubus canadensis*, Tennessee, 1254N
Black, L. L., 978N
Blackberry yellow vein associated virus, *Blackberry virus Y* co-infection, plant decline, 1288
Blair, J. E., 966
Blanca, J., 1139N
Blanchette, R. A., 642
Blanco, C., 176N
Bledsoe, M., 1683
Blomquist, C. L., 314N
Blumeria graminis, population in eastern USA, virulence structure, 1074
Blumeriella jaapii, on cherry, cover photo, June
Bobev, S. G., 172N, 173N, 976N, 1251N, 1472N
Bock, C. H., 530, 927
Bockus, W. W., 91
Boehm, M., 1387
Bogomaz, D., 983N, 1366N
Bohn, T., 1587N
Bojang, Y., 316N
Bolin, J. F., 315N
Bonde, M. R., 30, 767
Bonman, J. M., 1400
Boozer, R. T., 47, 1708N
Borago officinalis, white mold, Italy, 1711N
Borodynko, N., 978N
Botryosphaeria sp. , on plum, Taiwan, 483N
"Botryosphaeria" obtusa, on olive, fruit rot in Spain, 311N
Botrytis spp.
—*B. aclada*, on onion, China, 1133N
—*B. cinerea:* fungicide sensitivity, benzimidazole, 1427; *Jasminum officinalis*, cover photo, December; in Italy, 1708N; on pear, inoculum concentration, 451; on *Phaius tankervilliae*, cover photo, November; on *Phaius tankervilliae*, leaf blight in India, 1586N; on red bayberry, China, 1364N
Bottner, K. D., 654N
Boudon-Padieu, E., 113
Bougsiba, M., 314N
Bouhmidi, K., 1421
Bounds, R. S., 438
Bowden, R. L., 91
Boyer, C., 1591N
Bradley, C. A., 120, 295, 315N, 719, 1197
Brannen, P. M., 415
Brassica spp.: bacterial black rot, Turkey, 176N; bacterial leaf spot, South Carolina, 1134N; clubroot, epidemic in Nepal, 317N; residues, Fusarium wilt of watermelon affected by, 287
—*B. juncea*, powdery mildew, Australia, 650N
—*B. napus:* blackleg, resistance marker, 903; Sclerotinia stem rot, Argentina, 172N; stem rot, Greece, 1473N
Brennan, M. M., 1551
Brenneman, T. B., 392, 631, 896
Bressan, A., 113
Breth, D. I., 714
Briceño, E. X., 1407, 1635
Brito, J. A., 1370N
Brlansky, R. H., 1547
Brooks, F. E., 126
Brovont, T. E., 1588N
Brown, C. R., 1643
Brown, S. E., 1132N
Browne, G. T., 1537
Browning, M., 431
Bruckart, W. L., III, 487N
Bruening, G., 14
Brun, H., 1208
Brurberg, M. B., 1138N
Bruton, B. D., 983N
Bruzzone, C., 1329
Buchanan, G. F., 982N
Buchloe dactyloides, dollar spot, Oklahoma, 1249N
Buck, J. W., 719
Bui Thi Ngoc, L., 977N, 1588N
Bulajić, A., 1247N
Burger, M., 1444
Burkholderia gladioli, on maize, Mexico, 1249N
Burpee, L., 601
Burr, T. J., 714
Bursaphelenchus mucronatus and *B. xylophilus*, on Korean pine, Korea, 1248N, 1251N
Bussey, K. E., 1293
Buxus spp., leaf and twig blight, fungicides and host resistance, 1273
Büyük, O., 1299

Cacciola, S. O, 313N, 977N
Cactodera milleri, on lambsquarters, Wisconsin, 656N
Cadenas Giraldo, C., 974N
Cadle-Davidson, L., 1067, 1577
Caesar, A. J., 487N, 1710N
Café-Filho, A. C., 1439
Cai, H., 312N
Cai, X., 150
Calceolaria integrifolia, *Sclerotinia sclerotiorum*, Italy, 1133N
Calendula officinalis, powdery mildew, Italy, 174N
Camarena-Gutiérrez, G., 482N
Camargo, L. E. A., 1709N
Camellia spp., twig blight, incubation period and survival, 1177
Camp, A. R., 1488
Camp, S., 581
Campa, A., 705
Campbell, L. G., 575
'Candidatus Liberibacter' species: on potato, New Zealand, 1474N; on *Solanum betaeum* and *Physalis peruviana*, New Zealand, 1588N
'Candidatus Liberibacter' spp.: on pummelo, multiple locations in China, 513; quantification in hosts, PCR, 854
'Candidatus Liberibacter americanus', on citrus, graft transmission, 21
'Candidatus Liberibacter asiaticus': actinobacteria co-cultivation, citrus, 1547; on *Atalantia buxifolia*, China, 314N; on tomato, dodder transmission, 831N
'Candidatus Phlomobacter fragariae', on sugar beet, insect vectors, France, 113
'Candidatus Phytoplasma asteris', on lily, Mexico, 979N
'Candidatus phytoplasma trifolii', on safflower, Iran, 649N
Candresse, T., 1589N
Canna yellow mottle virus, on *Canna*, Washington, 1136N
Canteros, B. I., 652N, 1048
Cao, T., 456
Capsicum spp.
—*C. annuum:* anthracnose fruit rot, Bulgaria, 172N; *Beet mild curly top virus*, Mexico, 650N; *Capsicum chlorosis virus*, India, 1469N; little leaf phytoplasma, detection, Mexico, 1007; Phytophthora blight, biocontrol, 1488; *Phytophthora capsici*, mefenoxam resistance, 1439
Capsicum chlorosis virus, on chili pepper, India, 1469N
Carbone, I., 1074
Cárdenas-Soriano, E., 1249N
Cardin, L., 312N
Carduus pycnocephalus, rust, Tunisia, 174N
Carica papaya, internal yellowing, Hawaii, 487N
Carmona, M. P., 174N
Carneiro, R. M. D. G., 1104
Carrillo-Tripp, J., 836N
Carris, L. M., 1707N
Carroll, R. B., 656N, 670
Carrot, leaf blight, fungicide and foliar trimming effect, 132
Carson, M. L., 379
Carthamus tinctorius, *'Candidatus* phytoplasma trifolii', Iran, 649N
Carya illinoinensis, bacterial leaf scorch, hot-water treatment, 1124
Castanea spp., chestnut ink disease, Korea, 312N, *488*
Castello, I., 1367N, 1471N, 1590N
Castillo, P., 840, 1104, 1329
Castlebury, L. A., 173N, 175N, 973N, 1710N, 1707N
Catara, V., 835N
Cating, R. A., 977N, 1250N, 1711N
Cavin, C. A., 1366N
Cebrián, M. C., 831N, 1132N, 1469N, 1590N
Celar, F., 1616

Celery
—*Apium virus Y*, Washington, 1710N
—late blight, management, 438
Centaurea spp.
—*C. diffusa*, crown gall, 487N
—*C. solstitialis*, leaf spot, Russia, 983N
Cercospora spp.
—*C. beticola*, on sugar beet, infection site and survival, 741
—*C. bizzozeriana*, on hoary cress, Russia, 316N
—*C. concors*, on potato, China, 654N
—*C. kikuchii*, on soybean, oleic and linoleic acid content, 1038
Cerny, K., 1473N
Chacón-Díaz, C., 175N, 1249N
Chambers, D. L., 1566
Chanda, A. K., 1456
Chandra, S., 1586N
Chang, S. F., 1137N
Chatzivassiliou, E. K., 1012
Chávez, E. R., 1529
Chávez-Medina, J. A., 1007
Chen, C.-H., 751
Chen, C. Y., 483N, 1248N, 1706N
Chen, H., 1547
Chen, J. (Calif.), 314N, 409, 513
Chen, J.-P. (China), 1190
Chen, R. S., 1137N, 1589N
Chen, S. S., 1706N
Chen, W., 295, 917
Chen, Y. K., 1247N
Chen, Y. Y., 312N
Chen, Z.-Y., 1456
Cheng, M., 652N
Cherry virus A, on *Prunus mume*, China, 1589N
Chèvre, A.-M., 1208
Chilvers, M. I., 833N
Chimento, A., 313N
Chitrampalam, P., 1625
Chong, J., 1400
Chooi, K. M., 1470N
Christianson, T., 1062
Christie, B., 484N
Chu, C.-G., 1229
Chu, Y., 631
Chung, Y.-J., 1248N, 1251N
Cicer arietinum: nematodes, fingus interaction, feature, 840; stem and crown rot, California, 917
Cieślińska, M., 1366N
Citrullus lanatus, Fusarium wilt, race 2 in Georgia, 983N
Citrus
—blight, Sicily, 977N
—'*Candidatus* Liberibacter americanus', graft transmission, 21
—canker: lime host, Cambodia, 1588N; Mali, 977N; Somalia, 981N; symptom types, 927
—canker and bacterial spot, bacteriophage for control, 1048
—green mold, fungicides and sanitizing agents, 261
—greening, molecular detection, PCR, 854
—nematode biotype, South Africa, 639
—stubborn disease, PCR detection, 253
—viroids, China, 978N
Citrus spp.
—*C. clementina:* branch cankers, systemic fungicides, 1357; *Tylenchulus semipenetrans*, population density and yield, Spain, 445
—*C. grandis*, Huanglongbing, multiple locations in China, 513
—*C. limon*, *Apple stem grooving virus* and *Citrus tatterleaf virus* analysis, 746
Citrus exocortis viroid, on *Solanum jasminoides*, Germany and Netherlands, 973N
Citrus leaf blotch virus, New Zealand, 1470N
Citrus leprosis virus, on *Swinglea glutinosa*, cover photo, September
Citrus necrosis virus, on *Swinglea glutinosa*, Colombia, 1364N
Citrus tatterleaf virus, on lemon, *Apple stem grooving virus* analysis aid, 746
Citrus tristeza virus, on citrus in Syria, 1468N
Civerolo, E. L., 14, 314N, 409, 513
Cixius wagneri, on sugar beet, phytoplasma vector, 113
Cladosporium spp., on grape, Chile, 1635
—*C. cladosporioides*, on macadamia nuts, South Africa, 484N
Clair, D., 113
Clark, M. M., 172N
Clavibacter michiganensis
—on potato, PCR assay for detection, 684
—on tomato: Korea, 1472N; Syria, 649N
Cleere, S., 555
Cline, E., 966
Clover, G. R. G., 486N, 1134N, 1253N, 1367N, 1474N, 1588N
Clover yellow vein virus, on snap bean, pod necrosis, 1026
Coconut, porroca disease, cover photo, May
Cocos nucifera, porroca, Central America, 826
Coertze, S., 1133N
Coffey, M. D., 966
Coffin, R. H., 172N
Cogal, A. G., 372
Cohen, D., 1253N
Cohen, Y., 675
Colletotrichum sp., on field bindweed, Turkey, 316N
—*C. acutatum:* on apple, China, 1474N; on *Gaultheria shallon*, British Columbia, 175N; on *Lycium barbarum*, China, 1471N; on olive, infection factors, 1421; on pepper and tomato, Bulgaria, 172N; on strawberry, detection by PCR, 1655; on strawberry, Korea, 1247N
—*C. cereale:* on creeping bentgrass, Mississippi and Alabama, 1475N; on turfgrass, benzimidazole resistance, California, 239
—*C. coccodes*, on potato, soil- and tuberborne inocula, 1497
—*C. dracaenophilum*, on *Dracena sanderiana*, Bulgaria, 173N
—*C. fragariae*, on strawberry and other hosts, 1432
—*C. gloeosporioides:* on camellia, survival and incubation period, 1177; on onion, cover photo, June; on onion, Georgia, 974N; on *Salsola tragus*, Russia, 1366N
—*C. lindemuthianum*, on *Phaseolus vulgaris*, five races in Spain, 705
—*C. sublineolum*, on sorghum, pathotypes in Arkansas, 1415
Colocasia esculenta, leaf blight, resistance bioassay, 126
Colopterus sp., on oak, wilt vector, Missouri, 270
Comstock, J. C., 175N, 973N
Coneva, E., 1708N
Conium maculatum, *Apium virus Y*, Washington, 1710N
Conner, R. L., 312N
Convolvulus arvensis, leaf spot, Turkey, 316N
Cook, A. Z., 530, 927
Cooke, L. R., 978N
Coombs, E. M., 487N
Copes, W. E., 1177, 1394
Cordia sebestena, tar spot, Florida, 1250N
Córdoba, E., 1709N
Córdoba, M. C., 709
Córdova-Sellés, C., 831N, 1590N
Córdoba-Sellés, M. C., 1132N, 1469N
Coreopsis auriculata, *Lettuce mosaic virus*, USA, 486N
Correll, J. C., 317N
Cortés-Martínez, N. E., 979N
Corvi, F., 651N
Costa, H., 976N
Cotoneaster spp.
—*C. dammeri*, fire blight, Croatia, 1468N
—*C. salicifolius*, shoot blight and canker, Bulgaria, 976N
Cotton, boll rot, China, 1364N
Coutts, B. A., 1313, 1596
Cover photo
—*Alternaria carthami*, on snow lotus, symptoms, February
—*Ascochyta rabiei*, on chickpea, blight, February
—*Aspergillus flavus*, on *Pseudomalmea declina*, June
—*Blumeriella jaapii*, on cherry, leaf spot, June
—*Botrytis cinerea*: on *Jasminum officinalis*, December; on *Phaius tankervilliae*, November
—*Citrus leprosis virus*, on *Swinglea glutinosa*, lesions, September
—coconut, porroca disease, May
—*Colletotrichum gloeosporioides*, on onion, leaf distortion, June
—*Cylindrocladium pauciramosum*, on feijoa, November
—*Drechslera graminea*, on barley, stripe symptoms, September
—grape, canker, April
—*Hainesia lythri*, on tree peony, leaf spots, March
—*Iris yellow spot virus*, on onion, April
—kiwi, wood decay, August
—*Moniliophthora perniciosa*, on cacao, fruiting body, October
—*Oidium longipes*, on petunia, May
—*Phakopsora pachyrhizi:* on bean, November; on coral bean, new host, October
—*Phytophthora capsici*, on snap bean, blight, February
—*Phytophthora nicotianae*, on potato, April
—*Podosphaera leucotricha*, on callery pear leaf, January
—*Psittacanthus cucularis*, fruit, July
—*Pythium aphanidermatum*, on bean, January
—*Ralstonia picjettii*, on Bird of Paradise, symptom, May
—*Sawadaea tulasnei*, on Norway maple, March
—*Sclerotinia homoeocarpa*, on buffalograss, dollar spot, August
—*Sclerotinia minor*, on pyrethrum, September
—*Sclerotinia sclerotiorum*: on *Borago officinalis*, December; on peanut, symptoms, October
—*Tobacco mosaic virus*,on tobacco wrapper leaf, January
—*Tobacco rattle virus*, on potato: March, August
—*Uncinula necator*, on grape, symptom, July
—*Uredo manilensis*, on crepe jasmine, December
—*Xanthomonus campestris*, on *Brassica rapa*, symptom, July
—*Zucchini yellow mosaic virus*, on begonia, August
Cowger, C., 1074
Cox, K. D., 1099
Coyne, D. P., 546
Cranberry (see also *Vaccinium* spp.)
—fairy ring, crop loss and genotype, 616
Creamer, R., 650N
Crelier, A., 171N
Crescenzi, A., 878
Crosslin, J. M., 485N, 1254N
Crouch, J. A., 1475N
Csinos, A. S., 1470N, 1524
Cucumber, root-knot nematode, Switzerland, 1370N

Cucumber mosaic virus
—on *Jatropha curcas,* India, 171N
—on *Lavandula angustifolia,* Poland, 978N
—on *Solanum jasminoides,* Italy, 1585N
—on yam, West Africa, 833N
Cucumis spp.
—*C. melo:* Alternaria leaf spot, USA, 652N; *Pythium splendens,* Oman, 313N; root and crown rot, Honduras, 483N
—*C. sativus, Phytophthora capsici,* Norway, 1138N
Cucurbit leaf crumple virus
—molecular characterization, California, 781
—on squash, Florida, 648N
Cucurbit yellow stunting disorder virus, on cucurbits, Florida, 1251N
Cucurbita pepo
—crown rot, Spain, 1137N
—*Phytophthora capsici,* mefenoxam resistance, 1439
—Verticillium wilt, Trinidad, 1136N
Cucurbits, bacterial leaf spot, Réunion Island, 1591N
Cui, J. Q., 1471N, 1474N
Culbreath, A. K., 392, 896, 1307
Cummings, T. F., 1497, 1643
Curry, K. J., 106
Curvularia lunata, on zoysiagrass, first report in USA, 173N
Cuscuta sp., '*Candidatus* Liberibacter asiaticus' on tomato, transmission, 831N
Cvjetković, B., 1468N
Cydonia oblonga, fire blight, Morocco, 314N
Cylindrocladium spp.
— *C. buxicola,* fungicides and host resistance, 1273
—*C. pauciramosum,* on feijoa: cover photo, November; crown and root rot, Italy, 1590N
Cynara cardunculus, Verticillium wilt, cauliflower residue and soil solarization, 595
Cynodon dactylon: phytoplasma, Singapore, 317N; spring dead spot, Mississippi, 482N
Czarnecki, J., 1387
Czekaj, V., 1313

Dahlia, *Tobacco streak virus:* Czech Republic, 484N; New Zealand, 1138N
Dahlia mosaic virus, on dahlia, New Zealand, 1138N
Dally, E. L., 654N
Dańda, P., 978N
Darboe, S., 316N
Datnoff, L. E., 870, 1586N
Daughtrey, M. L., 818, 1473N
Davey, J. F., 656N
Davidson, C. R., 670
Davies, N. W., 1321
Davino, S., 1585N
Davis, C., 1138N
Davis, J. A., 1515
Davis, M. J., 1547
Davis, R. E., 654N
Davis, R. I., 1313
Davis, R. M., 831N
Deadman, M. L., 313N
Deahl, K. L., 978N
De Boer, S. H., 684
de Breuil, S., 1237
de Cara, M., 483N, 709, 1371N
Decraemer, W., 1370N
Dedic, P., 484N
de Groot, P., 1138N
Deightoniella torulosa, on banana, Georgia, 1470N
de la Cerda, K. A., 239
De la Roca, E., 1357
De La Rosa, R., 1252N
De La Torre-Almaraz, R., 482N, 1249N
De León, C., 1249N
Delfosse, P., 1587N
De los Santos, B., 176N
del Río, L. E., 42, 741
Demangeat, G., 1689
Deng, X., 314N, 513
Denton, G., 1273
Denton, J., 1273
Đermić, E., 1468N
de Silva, A. S., 1444
Detection of pathogen, nucleic acid-based, feature, 660
de Vicente, A., 835N
DeVries, R. E., 83
Diagnosis
—nucleic acid-based detection, feature, 660
—solanaceaeous crops, fungal and oomycete pathogens, 953
Diaporthe phaseolorum, on soybean, oleic and linoleic acid content, 1038
Diatractium cirdianum, on orange geiger, Florida, 1250N
Diaz-Pendon, J. A., 1139N
Dickeya chrysanthemi, on *Vanda* orchid, USA, 977N
Dickstein, E. R., 977N
Didymella bryoniae, on muskmelon, survival in South Carolina, 1223
Die, J., 1709N
Díez, M. J., 1083
Di Feo, L., 1137N
Dillard, H. R., 1488
Dill-Macky, R., 800
Dillon, M. A., 653N
Di Marco, S., 1150
Dimartino, M., 835N
Ding, S. L., 1364N
Dioscorea spp., *Cucumber mosaic virus,* West Africa, 833N
Diospyros kaki, Pestalotiopsis dyospiri, Spain, 176N
Diplodia seriata
—on *Cotoneaster salicifolius,* Bulgaria, 976N
—on grape, canker, Mexico, 519
Disease predictors, corn-cast celery late blight, management, 438
Di Serio, F., 1585N
Ditmore, M., 1415
Dixit, G. B., 1368N
Dixon, P. M., 719, 1215
Djekić, I., 1247N
Djelouah, K., 1468N
Djurle, A., 469, 1650
Dodds, J. A., 651N
Donahoo, R. S., 201
Dong, W. B., 631
D'Onghia, A. M., 1468N
Dor, E., 655N
Dorrance, A., 1387
Dotray, P. A., 482N
Douhan, L. I., 1127
Dracena sanderiana, anthracnose, Bulgaria, 173N
Drake, K. A., 172N, 1707N
Dreaden, T. J., 976N
Drechslera graminea, on barley, cover photo, September
Drenth, A., 313N
Druffel, K. B., 1136N
Druffel, K. J., 1710N
Druffel, K. L., 234, 588, 1138N
Duan, Y. P., 831N
Dubin, H. J., 316N
Dugan, F. M., 295
Durio ziberhinus, leaf blight, Vietnam, 648N
Dusabenyagasani, M., 903
Duttweiler, K. B., 794, 1215
Duwadi, V. R., 317N
Dwyer, G. I., 1313
Dyer, A. T., 581

Easley, S. A., 1480, 1662
Eastwell, K. C., 234, 324, 1026, 1136N, 1710N
Eber, F., 1208
Echinacea purpurea, phyllody, phytoplasma, Maryland, 654N
Eckhardt, L. G., 1574
Eickwort, J. M., 215
Eizenberg, H., 655N
Eizenga, G. C., 1503
Ekpo, E. J. A., 772
Elahinia, A., 1135N
Elias, L. M., 487N
El Jarroudi, M., 1587N
Elliott, D. R., 1367N
Elliott, P. E., 425
Ellis, M. A., 1053
Elm, Dutch elm disease, biocontrol, feature, 192
Elmhirst, J. F., 175N
Enebak, S. A., 1574
Engel, E. A., 1252N, 1474N
Engelbrecht, C. J., 975N
Eni, A. O., 833N
Enterobacter spp.
—*E. cloacae,* on mulberry, China, 483N
—*E. sakazakii,* on papaya, fruit yellowing, Hawaii, 487N
Erdurmuş, D., 1299
Erickson, D., 979N
Ermel, M., 1208
Errata
—vol. 91, no. 5, (2007), p. 636, *983*
—vol. 92, no. 2, (2008), p. 312, *488*
Eruca sativa, black rot, Argentina, 980N
Erwin, D. C., 966
Erwinia spp.
—*E. amylovora:* on apple, epidemic analysis, 1349; on apple, flower age and hypanthium infection, 137; on apple, rootstock resistance, 385; on *Cotoneaster,* Croatia, 1468N; on pear, apple, and quince, Morocco, 314N; streptomycin resistance, New York, 714
—*E. chrysanthemi,* on pineapple, outbreak in Hawaii, 1444
—*E. rhapontici,* on pea, North Dakota, 315N
Erysiphe spp.
—*E. cruciferarum,* on *Brassica juncea,* Australia, 650N
—*E. heraclei,* on *Hedera helix,* Italy, 313N
Erythrina herbacea, soybean rust, new host, 1472N
Escobar, P. F., 1252N, 1474N
Eskalen, A., 651N
Eskandari, F. M., 487N
Esker, P. D., 719, 1260
Eskridge, K. M., 401
Espinoza, J. G., 1407
Eucalyptus globulus, canker, Spain, 980N
Euphorbia spp.
—*esula/virgata,* crown gall, Europe, 1710N
— *pulcherrima,* bacterial stem rot, China, 1135N
Euryops pectinatus, powdery mildew, Spain, 835N
Evans, T. A., 656N, 670
Everts, K. L., 652N

Fagus sylvatica, decline, Italy, 1708N
Falk, B. W., 508
Fargette, D., 316N
Faris, J. D., 1229
Farnham, M. W., 1134N
Farr, D., 966
Farzadfar, Sh., 1280
Fatmi, M., 314N
Faure, C., 1589N
Fazio, G., 385
Feijoa sellowiana, crown and root rot, Italy, 1590N
Fellers, J. P., 808

Feng, L., 171N
Feng, Z., 314N, 513
Fennimore, S. A., 1537
Fernández-Aparicio, M., 1368N
Fernández-Ortuño, D., 835N
Fernando, W. G. D., 756, 903
Ferreira, J. J., 705
Festuca rubra, leaf smut, Alaska, 652N
Fetch, T., Jr., 923
Fiallo-Olivé, E., 836N
Figuli, P. J., 1625
Fiore, N., 1474N
Fish, W. W., 983N
Fitch, M. M., 487N
Flamini, L., 177N
Fletcher, J. (Okla.), 253
Fletcher, J. D. (New Zealand), 1313
Flor, N., 1586N
Flores-Torres, J. G., 982N
Focus, 3, 191, 323, 491, 659, 839, 987, 1143, 1259, 1375, 1479, 1595
Fogg, R., 1091
Folgado, M., 171N
Fonsah, G. E., 1470N
Font, M. I., 1469N
Forbes, G. A., 569
Förster, H., 261, 301
Foshee, W. G., 47
Fraedrich, S. W., 215, 1469N
Francis, M., 14
Frankliniella spp., *Tomato spotted wilt virus* vector, management, 878
Frare, G. F., 21
Frate, C., 917
Frati, S., 975N, 1135N
Frederick, R. D., 30, 96, 767, 1387
Freeman, S., 172N
Freitas-Astúa, J., 1364N
Freshour, L., 1710N
Frey, J.-E., 1370N
Friesen, T. L., 150, 1229
Fritschi, F. B., 276
Ftayeh, R., 649N
Fuchs, M. F., 318N, 1689
Fujita, Y., 1144
Fulvia fulva, on tomato, Spain, 1371N
Fungicides (general) (see also Fungicides, specific)
—Ascochyta blight on chickpea, resistance, 295
—blueberry mummy berry disease, 961
—*Botrytis cinerea* sensitivity, resistant strains, 1427
—celery late blight, management, 438
—*Cylindrocladium buxicola* on *Buxus*, 1273
—demethylation inhibitors, detection in *Monilinia fructicola*, 1099
—dollar spot of turfgrass, synergism, 601
—Fusarium head blight of barley, timing, 1164
—ginseng to *Phytophthora cactorum*, 1183
—green mold on citrus, baseline sensitivities, 301
—*Monilinia fructicola*, sensitivity assay method, 415
—natural product, microassays, 106
—peanut disease management, irrigation, 896
—peanut stem rot, spray advisories, 392
—*Phytophthora citrophthora* on clementine, application methods, 1357
—*Phytophthora infestans* resistance, mutagenesis, 675
—postharvest, citrus green mold, 261
—potato early blight, epidemics management, 561
—pyrethrum to ray blight, management, 887
—Rhizoctonia crown and root rot of sugar beet, factors, 1091
—*Sclerotinia homoeocarpa* resistance, golf greens, genetics, 83
—soybean seed treatments, North Dakota, 120
—tobacco blue mold, Actigard effect on efficacy, 1463
—TOM-CAST, spray timing, 1611
Fungicides (specific) (see also Fungicides, general)
—azoxystrobin, potato early blight, 555
—benzimidazole, on turfgrass, anthracnose resistance, 239
—cyazofamid, *Phytophthora capsici* insensitivity, 979N
—mefenoxam: *Phytophthora capsici* resistance, squash and pepper, 1439; mefenoxam, *Phytophthora citricola* on ginseng, 1706N
—metalaxyl, Phytophthora root rot of soybean, sensitivity, North Dakota, 1062
—metam sodium, weeds, nematodes, and pathogens, soil response, 1537
—phenylamide, hop downy mildew insensitivity, 463
—propiconazole, Armillaria root rot on peach, 1293
—sampangine, natural product, 106
Fusarium spp., on potato, fludioxonil resistance, 172N
—*F. graminearum:* on barley, fungicides and mycotoxins, application timing, 1164; on wheat, management economics, 1339; on wheat, population, chemotypes, Manitoba, 756
—*F. langsethiae*, on wheat, kernal infection, Poland, 488N
—*F. oxysporum:* on gerbera, Brazil, 655N; on lettuce, Brazil, 976N; on sugar beet, yellowing decline in Minnesota, 1589N; on watermelon, race 2 in Georgia, 983N; on watermelon, *Brassica* residue effect, 287
—*F. redolens*, on lentil, Italy, 1132N
—*F. solani:* on bean, genotype response in field, 1197; on zucchini squash, Spain, 1137N
—*F. verticillioides*, on maize: resistance source in Africa, 772; systemic infection and temperature, 1695
Fusicladium carpophilum, on peach, conidial production and season, 47

Gabriel, D. W., 831N
Gabrielova, S., 1473N
Gadoury, D. M., 1067
Gaetán, S. A., 172N
Gagnevin, L., 980N
Gallian, J. J., 581
Gallup, C. A., 492
Garcia, V., 469
García-Jiménez, J., 158, 595, 836N, 1357
Garibaldi, A., 173N, 174N, 313N, 484N, 655N, 975N, 982N, 1133N, 1135N, 1250N, 1367N, 1369N, 1711N
Garita, L., 175N
Gaultheria shallon, anthracnose, British Columbia, 175N
Gay, P. A., 652N
Gealy, D., 504
Geary, B., 694
Gee, C. T., 1067
Geiser, D. M., 966, 1589N
Gent, D. H., 463, 1260
Gerbera jamesonii, Fusarium wilt, Brazil, 655N
Gergerich, R. C., 1288
Gerhardt, D. J., 656N
Gevens, A. J., 201, 1472N
Ghazvini, H., 225
Gholamalizadeh, R., 1135N
Gibberella spp.
—*G. circinata*, on pine, spore germination, 542
—*G. zeae*, residue colonization, inoculum contribution, 800
Gieck, S. L., 485N
Giesler, L. J., 1588N
Gijón-Hernandez, A., 1249N
Gilardi, G., 174N
Gilbert, G. S., 826
Gilbertson, R. L., 781, 1248N
Gill, W. M., 1321
Gillen, A. M., 357
Giolitti, F. J., 1237
Giorda, L. M., 1237
Giraldez, R., 705
Giraud, F., 1587N
Girsova, N., 654N
Gisi, U., 675
Gitaitis, R. D., 974N, 1524
Glais, I., 1208
Glasa, M., 1365N
Glass, J. R., 1710N
Gleason, M. L., 164, 719, 794, 1215, 1247N, 1366N, 1471N, 1474N, 1655
Glenn, D. L., 1604
Glogoza, P. 623
Glomerella cingulata, on *Lygodium* spp., Australia, 1369N
Gloxinia, Phytophthora stem rot, Bulgaria, 1472N
Glynn, N. C., 175N, 973N
Gochez, A. M., 652N
Golino, D. A., 508
Golnaraghi, A. R., 1280
Golovinomyces cichoracearum
—English daisy, Italy, 484N
—on orange coneflower, Italy, 975N
—on Paris daisy, Italy, 1135N
Gómez, J., 174N, 1137N
Gómez, P., 1139N
Gómez-Talquenca, S., 1252N
Gonzalez-Ibeas, D., 1139N
González-Verdejo, C. I., 1709N
Gorbet, D. W., 1307
Gordillo, L. F., 694
Gordon, T. R., 542
Gorton, C., 1273
Goss, E. M., 210, 314N
Gotlieb, D., 675
Gottwald, T. R., 530, 831N, 927, 1349
Gotzova, B., 484N
Gourley, J., 684
Grafton, K. F., 1197
Gramaje, D., 832N, 836N, 980N
Grape (see also *Vitis* spp.)
—Aspergillus vine canker, Europe, 1471N
—bot canker, Mexico, 519
—canker, cover photo, April
—Cladosporium rot, problem in Chile, 1635
—Petri disease, Spain, 836N
—Phomopsis cane and leaf spot, Ohio, 1053
—powdery mildew: resistance, 1067; symptom, cover photo, July
—rootstock decline, Spain, 832N
—sour rot, California, 651N
—*Xylella fastidiosa*, response pattern, microscopy, 276
Grapefruit, citrus canker, image analysis, 530
Grapevine fanleaf virus
—cross-protection, field strategy, 1689
—Washington, 1250N
Grapevine leafroll-associated virus 4, on grape, Chile, 1474N
Grapevine leafroll-associated virus 7 and *9*, in Chile, 1252N
Grapevine leafroll-associated virus-9, on grape, Washington, 485N
Grau, C. R., 1026, 1510
Gray, S. M., 1371N
Green, S. K., 1585N
Greene, M., 966
Gregory, N. F., 656N, 670
Gril, T., 1616
Groom, T., 887, 1260
Grove, G. G., 463
Groves, R. L., 409

Grünwald, N. J., 210, 314N, 966
Guaragna, M. A., 648N
Gubler, W. D., 519, 651N
Gudmestad, N. C., 295, 492, 1254N, 1707N
Guerra-Sanz, J. M., 1137N
Guerrero, J. C., 519
Guevara, J., 519
Guirado, M. L., 174N
Gullino, M. J., 975N, 982N
Gullino, M. L., 173N, 174N, 313N, 484N, 655N, 1133N, 1135N, 1250N, 1367N, 1369N, 1711N
Guo, H., 513
Guo, X. W., 756
Gupta, M. K., 832N
Guries, R. P., 192
Gutierrez, W. A., 425
Guven, K., 1674
Guza, C., 1091
Gwinn, K. D., 1710N

Haber, S., 808
Haegi, A., 1132N
Hagen, C., 781
Hainesia lythri, on tree peony: China, 486N; cover photo, March
Haji Mohamad Noor, N. A., 1369N
Halterman, D. A., 339
Hamasaki, R., 1590N
Hamelin, R. C., 1138N
Hamm, P. B., 485N, 1127
Hammett, K. R. W., 1138N
Han, H., 1248N, 1251N
Handoo, Z. A., 1136N
Hansen, E. M., 1252N
Hanson, M., 485N
Hanula, J. L., 215
Harikrishnan, R., 42
Harmon, C. L., 1472N, 1551
Harmon, P. F., 1472N, 1551, 1586N
Harper, S. J., 1470N
Harrington, T. C., 215, 794
Hartman, G. L., 96, 767, 947
Hartung, J. S., 175N, 854
Harvey, T. L., 808
Hasiów, B., 978N
Hassan, M., 649N
Hausbeck, M. K., 201, 438, 1183, 1706N, 1611
Hauser, O., 51
Hay, F. S., 324, 887, 1260
Hayslett, M., 270
Hedera helix, powdery mildew, Italy, 313N
Hedysarum coronarium, broomrape, Spain, 1709N
Hegde, V., 311N
Heinz, R. D., 1475N
Hekimhan, H., 1299
Hemerocallis spp., rust, South Africa, 1133N
Hemnani, K., 1366N
Henricot, B., 1273
Henriquez, J. L., 421
Heras, F., 1371N
Hermansen, A., 1138N
Hernandez-Gallardo, M. D., 1139N
Hernandez-Martinez, R., 239
Herrera-Foessel, S. A., 469, 1650
Herrera-Vásquez, J. A., 831N, 1132N, 1469N, 1590N
Herrero, M. L., 1138N
Hershenhorn, J., 655N
Hershman, D. E., 1475N
Heterodera spp.
—*H. filipjevi*, on wheat, Oregon, 1136N
—*H. glycines*, on soybean, Kentucky, 1475N
Hevesi, M., 834N
Hibiscus chlorotic ringspot virus, on *Hibiscus* spp., New Zealand, 1367N
Hickman, L. L., 1524
Hilf, M. E., 746
Hill, S. N., 1183, 1706N, 1611
Hladky, L. L., 1251N
Hodson, D., 1299
Hoepting, C. A., 318N
Hoffmann, L., 1587N
Holbrook, C. C., 631, 1307
Hollier, C. A., 1456
Hollingsworth, C. R., 623, 1339
Holub, V., 1473N
Hong, C., 1201
Hong, J. C., 977N, 1674
Hong, Y. H., 1247N
Hong, Y.-G., 25
Hossein-Nia, S. V., 1135N
Hosta spp., petiole rot, overwintering in USA, 719
Hostachy, B., 1591N
Hovius, M. Y., 318N
Howard, R. J., 172N, 456
Hoy, J. W., 607
Hoy, M. A., 1250N
Hsiao, W. W., 655N
Hsu, S.-T., 909
Hu, X. (Idaho), 1371N
Hu, X. Q. (China), 981N
Huang, B. L., 655N
Huang, C.-C., 1589N
Huang, H. C., 1133N
Huang, L. C., 655N
Hubbell, L., 1091
Hudelson, B., 485N
Huerta-Espino, J., 311N, 469, 1111, 1650
Hughes, Jd'A., 833N
Hughes, M. (Fla.), 976N
Hughes, M. E. (Minn.), 1241
Humulus lupulus
—downy mildew, phenylamide insensitivity, 463
—viruses and viroids, epidemiology, feature, 324
Hurtado-Gonzales, O. P., 982N, 1706N
Hwang, J., 474
Hwang, S. F., 456
Hyalesthes obsoletus, on sugar beet, phytoplasma vector, 113
Hydrangea anomala, Alternaria leaf spot, Italy, 173N

Ikotun, T., 947
Impatiens necrotic spot virus, on lettuce, California, 1248N
Inman, A. R., 542
Insecticide, phorate, *Tomato spotted wilt virus* on peanut, management, 1307
Instructions, publication, 181
Integrated pest management
—apple sooty blotch and flyspeck, warning system, 1215
—*Tomato spotted wilt virus*, on tobacco, insecticides, 1012
Ipomoea spp., *Sclerotinia minor*, Texas, 482N
Ireland, K. B., 1369N
Irey, M. S., 975N
Irie, K., 1559
Iriki, N., 1021
Iris yellow spot virus, on onion:
—Canada, 318N
— cover photo, April
— detection assay, 588
— Serbia, 1247N
Irrigation
—peanut diseases, resistance and fungicide programs, 896
—sudden oak death, environmetal factors, 1566
Isakeit, T., 1369N
Isard, S., 966
Ito, M., 1021
Ivey, M. L. L, 1387
Ivors, K. L., 966
Izadpanah, K., 649N
Jackson, E. W., 1400
Jakse, J., 1616
Jamal, M., 1468N
Jankovics, T., 818
Janousek, C. N., 651N
Jansen, C. C. C., 973N
Jarugula, S., 485N, 486N
Jasminum officinalis, stem blight, Italy, 1708N
Jatropha curcas, *Cucumber mosaic virus*, India, 171N
Javornik, A., 1616
Jelev, Z. J., 172N
Jeżewska, M., 981N
Ji, P., 1470N, 1674
Jia, S. P., 177N
Jia, Y., 504
Jiang, D. H., 1133N
Jiang, J., 339
Jiménez-Díaz, R. M., 317N, 834N, 840
Jin, Y., 923, 1111
Jo, Y., 1369N
Jobe, L., 316N
Jochua, C., 401
Joel, D. M., 655N
Johnson, D. A., 1127, 1497, 1643
Johnson, G. I., 1588N
Jones, J. B., 1048, 1674
Jones, L., 975N
Jones, M. G. K., 1596
Jones, R. A. C., 1596
Jones, R. W., 978N
Jordá, C., 709, 831N, 1132N, 1590N
Jorda, M. C., 1469N
Jordan, R. L., 648N
Jossey, S., 61
Jouen, E., 980N, 1591N
Jović, J., 1247N
Juárez, M., 831N
Juglans cinerea, canker, host response, 1336
Jung, K., 966
Jung, T., 1708N
Jurick, W. M., II, 1551
Juzwik, J., 270

Kai, R., 1590N
Kaiser, W. J., 1365N
Kalischuk, M. L., 974N
Kamble, S. S., 1368N
Kaneshiro, W. S., 1444
Kanetis, L., 261
Kang, S., 966
Karahan, A., 973N
Karaoglanidis, G. S., 1427, 1473N
Karasev, A. V., 1371N
Karssen, G., 1370N
Karthikeyan, G., 486N
Kasdorf, G. G. F., 1158
Kassanelly, D., 316N, 983N
Kastalyeva, T. B., 654N
Kaur, P., 650N
Kawchuk, L. M., 974N
Keinath, A. P., 287, 656N, 979N, 1134N, 1223
Keith, L. M., 487N, 835N, 1407, 1590N
Keith, R. C., 487N
Kemerait, R. C., Jr., 896
Kenetis, L., 301
Kennedy, B. S., 1475N
Kerns, J. P., 862, 1669
Kertész, B., 834N
Khan, I., 313N
Khan, J., 741
Khan, M. F. R., 741, 1589N
Khot, S. D., 1197
Kiewnick, S., 1370N
Kim, D. G., 1472N
Kim, H. G., 1247N, 1655
Kim, K. S., 1288
Kim, L. H., 312N, *488*
Kim, S. H., 966

Kim, T. I., 1247N
Kim, W. G., 1472N
Kim, Y. K., 940
Kirk, W. W., 485N, 1091
Kirkpatrick, S. C., 542
Kiss, L., 176N, 818
Kitajima, E. W., 1364N, 1709N
Kitner, M., 210
Kiwi (see also *Actinidia deliciosa*)
—wood decay, cover photo, August
Klose, S., 1537
Klotz, K. L., 575
Ko, Y., 483N, 1248N, 1706N
Kobyłko, T., 978N
Koehler, K. J., 164
Koenning, S. R., 4
Koh, L. H., 317N
Koike, S. T., 1248N, 1253N, 1254N, 1368N, 1470N, 1566
Kolmer, J. A., 1111, 1241
Kolomiets, T., 983N, 1366N
Komar, V., 1689
Komorowska, B., 1366N
Koné, D., 1470N
Kong, P., 1201
Koopmann, B., 649N
Kosta, K. L., 1604
Kousik, C. S., 656N, 979N, 1119
Kovács, G. M., 818
Kramer, L. C., 339
Kraus, J., 364
Krause-Sakate, R., 834N
Krishnareddy, M., 1469N
Križanac, I., 1468N
Krnjajić, S., 1247N
Krokhin, O., 808
Kromann, P., 569
Krstić, B., 1247N
Kúdela, O., 1365N
Kúdelová, M., 1365N
Kumar, R., 1586N
Kumar, S., 171N
Kumari, S., 1370N
Kundu, J. K., 1587N
Kuo, Y.-W., 1248N
Kwanyuen, P., 1038
Kwaye, R. G., 639

Lachman, O., 1033
Ladipo, J. L., 947
Lagenaria siceraria, southern blight, South Carolina, 656N
Lagnese, R., 177N
Lagunaria patersonii, Rhizoctonia solani, Italy, 836N
Lahoz, E., 836N, 1367N
Lambert, K. N., 143
Lambrecht, P. A., 546
LaMondia, J. A., 37, 1463
Lamour, K. H., 201, 982N, 1706N
Landa, B. B., 317N, 834N, 840, 1104
Landeras, E., 980N
Langston, D. B., Jr., 392, 974N, 983N
Lantana camara, Sclerotinia sclerotiorum, Italy, 1369N
Larsen, J. E., 623
Larsen, M. M., 314N
Larsen, R. C., 1026
Lartey, R. T., 1710N
Lasiodiplodia theobromae
—on grape: canker, Mexico, 519; decline, Spain, 832N
—on jackfruit, Taiwan, 1137N
Latin, R., 601
Latorre, B. A., 1407, 1529, 1635
Lava Kumar, P., 833N, 1709N
Lavandula angustifolia, Cucumber mosaic virus, Poland, 978N
Leal, I., 1138N
Leavitt, G. M., 519
Ledbetter, C., 409
Lee, I.-M., 654N
Lee, J. K., 312N, *488*
Lee, L. M., 1585N
Lee, S. H., 312N, *488*
Lee, Y.-H., 966
Lee, Y.-K., 1472N
Leggett, F., 974N
Lemaire, O., 51, 1689
Lenardon, S. L., 1237
Lenc, L., 488N
Lens culinaris
—broomrape, Spain, 1368N
—Fusarium wilt, Italy, 1132N
León, L., 1252N
León, M. G., 1364N
Lepidium draba, leaf spot, Russia, 316N
Leptographium serpens, on longleaf pine seedlings, soil moisture regimes, 1574
Leptosphaeria maculans
—on *Brassica* spp., resistance stabilization, 1208
—on canola, group 3, resistance marker, 903
Letanneur, J.-C., 1208
Lettuce
—black root rot, California, 1368N
—drop, biocontrol by agents in desert, 1625
—Fusarium wilt, Brazil, 976N
—*Impatiens necrotic spot virus,* California, 1248N
—*Verticillium* spp. on, species characterization, 69
Lettuce mosaic virus, on *Coreopsis auriculata,* USA, 486N
Leuconostoc mesenteroides, on sugar beet, root rot, 357
Levitin, E., 655N
Levy, L., 854
Lewellen, R. T., 1043
Lewis, K. J., 974N
Lewis, R. S., 425
Leyva-López, N. E., 1007
Li, B., 483N, 832N
Li, C. (Beijing, China), 318N
Li, C. W. (Henan, China), 1370N
Li, D., 854
Li, F., 312N
Li, G. Q., 1133N
Li, G. X., 650N
Li, G. Y., 1364N
Li, H. (Australia), 650N, 1208
Li, H. (Guangzhou, China), 314N, 513
Li, H. L. (Henan, China), 486N
Li, H. Y. (Zhejiang, China), 1364N
Li, J.-C., 1589N
Li, W., 854
Li, X., 975N
Li, Y. C., 4
Li, Y. R., 1134N
Li, Z. A., 978N
Liburd, O. E., 648N, 1474N
Liefting, L. W., 1588N
Lilium spp., '*Candidatus* Phytoplasma asteris', Mexico, 979N
Lin, C. H., 483N, 909, 1248N, 1706N
Lin, H., 276
Lin, M. J., 504
Lin, Q. Y., 177N
Ling, K.-S., 656N, 1683, 1701
Lithocarpus densiflorus, stem canker, Oregon, 1252N
Little, S., 30
Little cherry virus
—on *Prunus avium,* Washington, 234
—on sweet cherry, Poland, 1366N
Liu, B., 483N
Liu, C. W., 483N, 1248N, 1706N
Liu, D. Q., 587N, 654N
Liu, H.-Y., 51, 1043, 1254N
Liu, J. L., 1370N
Liu, Y. Q., 1364N
Liu, Z., 177N
Lockhart, B. E., 725, 1473N
Logan, T., 4
Long, D. L., 1241
Lopes, J., 976N
Lopes, S. A., 21
Lopez, S. E., 171N
López, V., 483N, 709
Lou, B. G., 981N
Lou, Z., 314N
Lovat, N., 808
Luan, Y. S., 171N
Lucero, X., 653N
Lukanowski, A., 488N
Luo, C.-X., 1099
Luongo, L., 651N
Luque, F., 311N
Luque, J., 832N, 980N
Luster, D. G., 966, 1387
Lycium barbarum, anthracnose, China, 1471N
Lycopersicon spp. (see also Tomato)
—*L. esculentum,* anthracnose fruit rot, Bulgaria, 172N
—*L. peruvianum, Tomato spotted wilt virus,* resistance, 694
Lygodium spp., anthracnose, Australia, 1369N
Lynn, J. M., 1711N

Ma, P., 654N
Ma, Y. S., 1370N
Macadamia integrifolia, raceme blight, South Africa, 484N
MacGuidwin, A. E., 656N
MacKenzie, S. J., 1432
MacRae, I. V., 623
Macrophomina phaseolina, on strawberry, California, 1253N
Madden, L. V., 1053
Madhavi Reddy, K., 1469N
Madia, M., 172N, 1251N
Maes, M., 1472N
Magnano di San Lio, G., 313N
Magnano di San Lio, M., 977N
Magnaporthe spp.
—*M. grisea,* on rice, resistance and avirulence genes, 1144
—*M. oryzae:* on Carolina foxtail, alternative host for rice blast, 504; on turfgrass, soil and silicon factors, 870
Maiorino, G., 878
Maize
—Fusarium stalk rot, resistance in Africa, 772
—*Fusarium verticillioides,* systemic infection and temperature, 1695
—leaf stripe and stem rot, Mexico, 1249N
Maize dwarf mosaic virus, on maize, Poland, 981N
Maize streak virus, on sugarcane, South Africa, 982N
Makalowska, I., 966
Maleita, C. M. N., 1104
Malfitano, M., 649N
Malinova, M., 1473N
Mallik, I., 1062, 1254N
Maluf, H., 487N
Malus spp. (see also Apple)
—*M. pumila,* fire blight, Morocco, 314N
Management
—Pyrethrum diseases, Tasmania, feature, 1260
—*Tomato spotted wilt virus* on peanut, phorate, 1307
Mansfield, M. A., 966, 1589N
Maples, H. W., 344
Mapope, N., 639
Marais, A., 1589N

Marbán-Mendoza, N., 979N
Marek, S. M., 1249N
Marois, J. J., 1472N, 1551
Marshall, D., 1074
Martin, D. P., 982N
Martin, F. N., 966, 1537
Martín, R., 831N
Martin, R. R., 364, 1250N, 1288, 1706N
Martin, T. J., 808
Mártinez-Zubiaur, Y., 836N
Martos, S., 832N, 980N
Maruthasalam, S., 483N, 1248N, 1706N
Mashela, P. W., 639
Maslenin, L., 1033
Matheron, M. E., 1625
Mathews, D. M., 651N
Mathiasen, R. L., 988
Matoh, T., 1559
Matusick, G., 1574
Matveeva, T., 983N, 1366N
Mayfield, A. E., III, 215, 976N
Maymon, M., 172N
Mazzaglia, A., 1707N
McAllister, C. D., 607
McBeath, J. H., 652N
McCarthy, M. L., 953
McDonald, M. R., 132, 318N
McDonald, V. T., 210, 314N
McEwen, D., 1062
McFarlane, S. A., 982N
McKemy, J. M., 175N
McLaughlin, W. A., 1132N
McManus, P. S., 1215
Meacham, T., 1371N
Mealybug, *Banana streak OL (badna) virus* vector, transmission, 1158
Medicago spp. (see also Alfalfa)
—*M. lupulina*, branched broomrape, Virginia, 315N
Medina-Aguilar, M. M., 650N
Mejía-Sánchez, D., 1249N
Mejri, D., 174N
Mekuria, T., 1250N
Melakeberhan, H., 4
Melanaphis sacchari, Sugarcane yellow leaf virus vector, Louisiana, 607
Melanson, R. A., 1124
Melero-Vara, J. M., 174N,1137N
Mello, A. F. S., 253
Meloidogyne spp., on peanut, resistance, 631
—*M. arenaria*, on sweet basil, host-parasite relation, 1329
—*M. enterolobii*, on tomato and cucumber, Switzerland, 1370N
—*M. hispanica*, phylogenetic analysis, molecular characterization, 1104
Melon (see also Muskmelon and Watermelon)
—*Ourmia melon virus*, Iran, 1135N
—vine decline, *Olpidium* and virus association, 709
Melon necrotic spot virus, on melon, Guatemala, 709
Méndez-Lozano, J., 1007
Meng, J., 1365N
Menkir, A., 772
Mentha spp., Verticillium wilt, detection in Oregon and Washington, 1127
Mertely, J. C., 1432
Merz, U., 1171
Meyer, J. B., 1158
Mgbechi-Ezeri, J. U., 1709N
Michailides, T. J., 650N, 1252N
Microbotryum violaceum, on *Silene dichotoma*, Turkey, 315N
Midland, S. L., 239
Mike, Zs., 834N
Miklas, P. N., 1026
Mila, A. L., 78
Miles, M. R., 96, 767
Millard, M. A., 694
Miller, D. R., 215
Miller, J. S., 1643
Miller, S. A., 1387
Minuto, A., 484N, 655N, 982N, 1133N, 1135N, 1329, 1369N
Minz, D., 172N
Mirik, M., 176N
Mistletoe, biology and pathogen, feature, 988
Model
—grape cane and leaf spot, Ohio, 1053
—regression, bean white mold, 42
Mojtahedi, H., 979N
Mokra, V., 484N
Moltzan, B., 270
Momol, M. T., 878, 1674
Momordica charantia, host for *Squash vein yellowing virus*, detection, 1119
Moncrief, I. R., 1249N
Mondal, S. N., 1547
Monilinia spp.
—*M. fructicola:* demethylation inhibitor resistance, detection, 1099; fungicide sensitivity, assay, 415
—*M. laxa*, intraspecific variation, AFLP analysis, 1616
—*M. vaccinii-corymbosi*, on blueberry, fungicides, phenological stages, 961
Moniliophthora perniciosa, on cacao, fruiting body, cover photo, October
Montecchia, M. S., 980N
Monteiro, J. E. B. A., 164, 719, 1215
Montero-Astúa, M., 1171, 1249N
Montes-Borrego, M., 317N, 834N
Montoya-Piña, J. V., 482N
Montt, C., 1252N
Moore, J. W., 1415
Moore, M., 1336
Moore, W. F., 30
Moorehead, S., 172N
Mora-Aguilera, A., 1249N
Moral, J., 311N, 1252N, 1421
Moreira, A. G., 1709N
Moreira, L., 175N, 1249N
Morel, W., 96
Mori, S. R., 1566
Moriones, E., 1139N
Morrell, A., 486N
Morus alba, bacterial wilt, China, 483N
Mostert, L., 1133N
Motteberg, C. D., 623, 1339
Moury, B., 312N
Mozhaeva, K. A., 654N
Mrazkova, M., 1473N
Mu, L., 1313
Muehlbauer, F. J., 917
Mueller, D. S., 719, 975N
Mukhina, Z. M., 316N
Mukhina, Z., 983N, 1366N
Mullis, S. W., 1524
Mulrooney, R. P., 656N, 670
Munaut, F., 1587N
Munda, A., 1616
Munk, L., 569
Munkvold, G. P., 1695
Muñoz-Ledesma, F. J., 317N, 834N
Munro, C., 484N
Murillo-Williams, A., 1695
Murphy, J. F., 1708N
Murphy, J. P., 1074
Murray, T. D., 1021
Muscodor albus, Phytophthora blight controlled by, pepper and squash, 1488
Muskmelon (see also Melon and Watermelon)
—*Didymella bryoniae*, survival in South Carolina, 1223
Musselman, L. J., 315N
Mutlu, N., 546
Myresiotis, C. K., 1427
Myrica rubra, gray mold, China, 1364N
Myung, I.-S., 1472N

Nadal, S., 1709N
Nagata, R., 1586N
Naidu, R. A., 485N, 486N, 833N, 1250N, 1709N
Nakajima, T., 1164
Nakamoto, S., 1590N
Nam, M. H., 25, 1247N, 1655
Nanayakkara, U. N., 870
Nardi, S., 651N
Narvaez, D. F., 1551
Natwick, E. T., 781
Navas-Castillo, J., 1139N
Navas-Cortés, A., 840
Nel, L. H., 1158
Nelson, B. D., 1062
Nelson, M. E., 463, 486N
Nelson, R., 741
Nematodes, cyst and root-knot on soybean, biosolids for management, feature, 4
Nemesia spp., *Angelonia flower break virus*, California, 651N
Németh, J., 834N
Neofabraea spp., on pear, environmental factors, 421
Neofusicoccum australe, on eucalyptus and pistachio, Spain, 980N
Nephelium lappaceum, fruit rot, Hawaii, 835N
Nequi, N., 1472N
Nerium oleander, Xylella fastidiosa, Costa Rica, 1249N
Nester, S. E., 30
Nevo, E., 1229
Ngachan, S.V., 1586N
Ni, H. (China), 1451
Ni, H. F. (Taiwan), 1137N
Nicholson, J. S., 425
Nickrent, D. L., 988
Nicol, J. M., 1299
Nicoletti, R., 836N, 1367N
Nicotiana spp. (see also Tobacco)
—*N. mutabilis, Potato virus Y*, France, 312N
—*N. tabacum*, cultivar SR1, bioassay for *Xylella fastidiosa*, 14
Nieto, A. M., 1137N
Nievas, M. S., 1237
Nigrospora sphaerica, on blueberry, new host, 171N
Nikolaeva, E., 966
Nipoti, P., 177N
Nischwitz, C., 97N, 1307, 1524
Nishijima, K. A., 487N
Nishijima, W. T., 487N
Nishio, Z., 1021
Nita, M., 1053
Nitzan, N., 1497, 1643
Niu, S. N., 317N
Njambere, E. N., 917
Njoroge, S. M. C., 287
Noguchi, M. T., 1144
Nolte, P., 1371N
Nome, C. F., 1137N
Nováková, S., 1365N
Nozaki, D. N., 834N
Nuez, F., 1083
Nui, C., 1468N
Nusillard, B., 113
Nutter, F. W., Jr., 1260
Nyoike, T. W., 648N

Oak, wilt, *Colopterus* beetle vector, Missouri, 270
Oat, crown rust:
—resistance assay, detached-leaf method, 1400
—virulence frequency, USA 2001-2005, 379
Obert, D. E., 1400
O'Brien, C. A., 831N

Ocimum basilicum
—root-knot nematode, host-parasite relation, 1329
—white mold, Turkey, 1471N
Oggenfuss, M., 1370N
O'Gorman, D. T., 451
Oh, E., 312N, *488*
Oidium spp.
—*O. longipes*, on petunia: cover photo, May; threat to ornamental and solanaceous crops, 818
—*O. neolycopersici*, on tomato, China, 1370N
Ojiambo, P. S., 772, 947
Okubara, P. A., 1480
Olaya, G., 555, 561
Olea europaea, fruit rot, Spain, 311N
Olive
—Alternaria fruit rot, Spain, 1252N
—anthracnose, infection factors, 1421
Oliver, R. E., 150
Oloka, H. K., 1493
Olpidium bornovanus, on melon, decline in Guatemala, 709
Olsen, C., 1643
Olsen, N., 1371N
Olson, S. M., 878, 1674
Olszewski, N. E., 725
O'Malley, P. J., 1366N
Omer, M. A., 1127
Onasanya, A., 316N
O'Neill, N. R., 670
Onion
—bulb rot, China, 1133N
—*Iris yellow spot virus:* Canada, 318N; detection assay, 588
—twister disease, Georgia, 974N
Ophiospharella herpotricha, on bermudagrass, Mississippi, 482N
Ophiostoma spp., on elm, Dutch elm disease, feature, 192
Orchid, bacterial soft rot, USA, 977N
Ornamentals
—Phytophthora blight and dieback, North Carolina nurseries survey, 474
—*Phytophthora* spp., Minnesota nurseries, 642
—powdery mildew, petunia origin, 818
Ornat, C., 445
Orobanche spp.
—*O. crenata:* on *Anemone coronaria*, Israel, 655N; on *Hedysarum coronarium*, Spain, 1709N; on lentil and vetch, Spain, 1368N
—*O. ramosa*, on black medic, Virginia, 315N
Osei, M. K., 1585N
Osmanthus spp., *Phytophthora ramorum*, California, 314N
Osteospermum sp.
—damping-off, Italy, 1367N
—*Sclerotinia sclerotiorum*, Italy, 982N
Osti, F., 1150
Ostry, M. E., 1336
Oudemans, P. V., 616
Ourmia melon virus, on melon, Iran, 1135N
Ovalle, W., 973N
Owens, R. A., 654N
Ownley, B. H., 1710N
Oxandra acuminata, *Aspergillus flavus*, Peru, 974N
Ozakman, M., 973N
Ozias-Akins, P., 631

Paeonia suffruticosa, leaf spot, China, 486N
Palkovics, L., 834N
Palmateer, A. J., 977N, 1250N, 1711N
Palm-Hernández, M. E., 1376
Palomares Rius, J. E., 1104
Panax quinquefolium
—Alternaria blight, fungicide spray timing, 1611
—*Phytophthora cactorum*, fungicide sensitivity, 1183
—*Phytophthora citricola*, mefenoxam, 1706N
Pandorea jasminoides, *Phytophthora* spp., Italy, 313N
Pane, A., 313N, 977N
Panicum virgatum
—bunt, Texas, 1707N
—rust, Tennessee, 1710N
Pankratova, L., 983N
Pantoea agglomerans, on cotton, boll rot in China, 1364N
Papaver somniferum
—downy mildew, France, 834N
—soft rot, Spain, 317N
Pappu, H. R., 318N, 588, 1136N, 1138N, 1469N
Paratylenchus hamatus, on pea and lentil, Idaho, 979N
Park, B., 966
Park, D.-S., 25
Park, J., 966
Park, S. (La.), 1456
Park, S.-Y. (Pa.), 966
Parker, I. M., 826
Parker, P. E., 530, 927
Parks, R., 1074
Parlavecchio, G., 836N, 1590N, 1708N
Pasche, J. S., 125N, 295, 492, 1707N
Passiflora latent virus, on banana passionfruit, New Zealand, 486N
Pastor, J., 445
Pathre, U., 171N
Patil, V. B., 1368N
Pavan, M. A., 834N
Pavón, C. F., 143
Pawar, N. V., 1368N
Pea
—Ascochyta blight, Spain, 1365N
—pink seed, North Dakota, 315N
Pea enation mosaic virus, on bean and pea, Spain, 1469N
Peach
—Armillaria root rot, propiconazole effect, 1293
—*Prunus necrotic ringspot virus*, Mexico, 482N
—scab, twig lesions, conidial production, 47
Peach latent mosaic viroid, on peach:
—Argentina, 1137N
— Egypt, 649N
Peanut
—cultivars and fungicides for control, irrigation, 896
—root-knot, resistance, 631
—*Sclerotinia sclerotiorum*, Texas, 1468N
—stem rot, spray advisories, 392
—*Tomato spotted wilt virus*, management, 1307
—viruses, prevalence in Argentina, 1237
Pear
—blossom blast, China, 832N
—bull's eye rot, environmental factors, 421
—stem end decay, inoculum concentration, 451
Pearlsman, M., 1033
Pearson, M. N., 1253N, 1470N
Pectobacterium spp.
—*P. carotovorum*, on opium poppy, Spain, 317N
—*P. chrysanthemi*, on poinsettia, China, 1135N
Peever, T. L., 833N, 1365N
Pei, D. L., 1370N
Peiman, M., 966
Peltier, A. J., 1510
Penicillium spp.
—*P. digitatum*, on citrus, postharvest fungicide and multiple resistance, 301
—*P. expansum*, on pear, inoculum concentration, 451
Pensa, P., 982N, 1250N, 1369N, 1711N
Penstemon spp., red ringspot, *Turnip vein-clearing virus* cause, 725
Pentastiridius leporinus, on sugar beet, phytoplasma vector, 113
Pepino mosaic virus
—on tomato: population genetics, 1683; Spain, 1590N
—tomato seed transmission, 1701
Pepper mild mottle virus, resistance, new pathotype, 1033
Peres, N. A., 1432
Pereyra, S. A., 800
Perez, A., 1674
Pérez, B. A., 653N
Perez, J. M., 1250N, 1711N
Perez, K., 831N
Pérez de Castro, A., 1083
Perez-Egusquiza, Z. C., 1474N
Pérez-García, A., 835N
Pérez-Hernández, O., 1655
Pérez-Sierra, A., 836N, 980N
Pérez-Vega, E., 705
Periconia igniaria, on star thistle, Russia, 983N
Pernambuco-Fo, P. C. A., 487N
Peronospora spp.
—*P. arborescens*, on poppy, France, 834N
—*P. tabacina*, on tobacco, Actigard effect on fungicide efficacy, 1463
—*P. valerianellae*, on corn-salad, California, 1470N
Perry, D. H., 482N
Perry, K. L., 730
Persea
—*P. americana*, *Xylella fastidiosa*, Costa Rica, 175N
—*P. borbonia*, laurel wilt: 1469N; Florida, 976N
Pestalotiopsis spp., on blueberry: canker and twig dieback in Chile, 1407; leaf spot in China, 171N
—*P. dyospiri*, on persimmon, Spain, 176N
—*P. virgatula*, on rambutan, Hawaii, 835N
Peters, R. D., 172N, 1707N
Peterson, G. L., 351, 1604
Pethybridge, S. J., 324, 887, 1260
Petróczy, M., 834N
Petrov, M., 1247N
Petunia, powdery mildew, threat to ornamental and solanaceous crops, 818
Petunia × hybrida, rapid decline, Chile, 1529
Phaeoacremonium scolyti, on grape, Spain, 836N
Phaius tankervilliae, leaf blight, India, 1586N
Phakopsora pachyrhizi
—on bean, cover photo, November
—on coral bean, new host, cover photo, October
—on kudzu, Texas, 1369N
—on legumes: comparative susceptibilities, 30; greenhouse test, 767
—on soybean: exotic germplasm in Uganda, 1493; Iowa, 975N; in Nebraska, 1588N; resistance in Nigeria, 947; resistance in Paraguay, 96; winter survival in Florida, 1551
—urediniospores: immunofluorescence assay, 1387; temperature and viability, 1456
Phaseolus spp., foliar and pod blight, Michigan, 201
—*P. lunatus:* downy mildew, new races, 670; pod rot, mefenoxam resistance, 656N
—*P. vulgaris:* anthracnose, resistance to five races in Spain, 705; Ascochyta leaf spot, Greece, 653N; *Clover yellow vein virus*, pod necrosis, 1026; Fusarium root rot, field response, 1197; root and crown necrosis, Spain, 174N; rust, virulence diversity, 401; white mold, regression model, 42; *Xanthomonas campestris* and *X. fuscans* comparison, resistance, 546
Phibbs, A., 656N
Phillips, A. J. L., 976N
Phillips, J. G., 1604

Phoma spp.
—*P. exigua:* on bean, Greece, 653N; on poplar, Czech Republic, 1473N
—*P. ligulicola,* on pyrethrum, ray blight, fungicides, 887
—*P. medicaginis,* on alfalfa, Washington, 833N
—*P. multirostrata,* on *Ajuga multiflora,* China, 981N
—*P. sclerotioides,* on alfalfa, Colorado and New Mexico, 653N
Phomopsis viticola, on grape, disease variation, Ohio, 1053
Phylogeny, *Bean yellow mosaic virus,* four continents and seven groups, 1596
Physalis peruviana, '*Candidatus* Liberibacter' species, New Zealand, 1588N
Phytophthora spp.: forensic database, identification, 966; on ornamentals, host range in Minnesota nurseries, 642; on ornamentals, irrigation water relation, 1201; on *Pandorea jasminoides,* Italy, 313N; on tanoak, Oregon, 1252N
—*P. cactorum:* on beech, Italy, 1708N; on ginseng, fungicide sensitivity, 1183
—*P. capsici:* on cucumber, Norway, 1138N; on lima bean, mefenoxam resistance, 656N; oospores, quantification in soil, 143; on pepper and squash, *Muscodor albus* for control, 1488; on snap bean, blight, cover photo, February; on snap bean, foliar and pod blight, Michigan, 201; on squash and pepper, mefenoxam resistance, 1439; on vegetable crops, cyazofamid insensitivity, 979N
—*P. citricola,* on ginseng, mefenoxam, 1706N
—*P. citrophthora,* on *Citrus clementina,* fungicides for canker, 1357
—*P. colocasiae* on taro, bioassay for resistance, 126
—*P. cryptogea:* on petunia, Chile, 1529; on sweet cherry, Italy, 177N
— *P. infestans:* A2 mating type, tomato, China, 978N; fungicide resistance, mutagenesis, 675; host specificity, race composition, Taiwan, 751; on potato, resistance gene *RB,* 339; on potato sprouts, preemergence infection, Ecuador, 569
—*P. katsurae,* on chestnut, Korea, 312N, *488*
—*P. nicotianae:* on asparagus, Peru, 982N; on gloxinia, Bulgaria, 1472N; on potato, cover photo, April; on potato, foliar blight and tuber rot, special report, 492
—*P. phaseoli,* on lima bean, races, 670
—*P. ramorum:* blight and dieback, North Carolina nurseries, 474; in forests, recovery from temperature extremes, 431; on nursery stock, environmetal factors and irrigation, 1566; on *Viburnum,* susceptibility, 210; on *Viburnum* and *Osmanthus* spp., California, 314N
—*P. sojae,* on soybean: calcium compound effect, 1559; metalaxyl sensitivity, North Dakota, 1062
—*P. tentaculata,* on *Aucklandia lappa,* China, 1365N
Phytoplasma
—aster yellows, on small grains, field distribution, 623
—on *Echinacea purpurea,* phyllody, Maryland, 654N
—grasses, Singapore, 317N
—Paulownia witches'-broom, China, 1134N
—on pepper and tomato, detection in Mexico, 1007
—on *Portulaca grandiflora,* little leaf disease, India, 832N
—potato, molecular detection in Russia, 654N
—stolbur, sugar beet disease syndrome, 113
—*Vernonia cinerea,* in Jamaica, 1132N
Pietersen, G., 1158
Pine, pitch canker, spore germination and temperature, 542
Pineapple, bacterial heart rot, outbreak in Hawaii, 1444
Pinel-Galzi, A., 316N
Pinkerton, J. N., 364
Pinus spp., symbiont of *Amylostereum areolatum* and *Sirex noctilio,* Canada, 1138N
—*P. koraiensis: Bursaphelenchus mucronatus,* Korea, 1248N; wilt, Korea, 1251N
—*P. palustris, Leptographium serpens,* virulence in soil moisture, 1574
Pistacia vera, canker, Spain, 980N
Pizzichini, L., 177N
Plasmodiophora brassicae
—on *Brassica* spp., epidemic in Nepal, 317N
—on crucifer, virulence in Canada, 456
Plasmopara viticola, on *Vitis* spp., resistance variation, 1577
Platt, H. W., 172N
Ploetz, R. C., 1250N, 1711N
Poa trivialis, brown ring patch, Florida, 1586N
Podosphaera spp.
—*P. fusca,* on *Euryops pectinatus,* Spain, 835N
—*P. leucotricha:* on callery pear leaf, cover photo, January; on *Pyrus calleryana,* Hungary, 176N
—*P. xanthii,* on *Calendula officinalis,* Italy, 174N
Poindexter, S., 1091
Polashock, J. J., 616
Polizzi, G., 835N, 836N, 1367N, 1471N, 1585N, 1590N, 1708N
Polston, J. E., 648N, 1251N
Pons, J., 445
Populus sp., twig and shoot canker, Czech Republic, 1473N
Porter, L. D., 979N
Portulaca grandiflora, little leaf disease, phytoplasma, 832N
Pospieszny, H., 978N
Postharvest pathology
—apple, Sphaeropsis rot, Washington, 940
—citrus green mold, fungicides, 301
—fungicides and sanitizing agents, citrus green mold, 261
Postnikova, E., 487N
Potato (see also *Solanum* spp.)
—*Alternaria solani,* QoI fungicide, Canada, 1707N
—bacterial ring rot, PCR assay for detection, 684
—black dot, soil- and tuberborne inocula, 1497
—'*Candidatus* Liberibacter' species, New Zealand, 1474N
—Cercospora leaf blotch, China, 654N
—common scab, auxin-induced resistance, thaxtomin A, 1321
—corky ringspot, Michigan, 485N
—early blight: azoxystrobin sensitivity, 555; fungicides and epidemics, strategy, 561
—foliar blight and tuber rot, special report, 492
—late blight: preemergence infection, 569; resistance gene *RB,* 339
—phytoplasma, molecular detection, Russia, 654N
—powdery scab, resistance, 1643
—*Ralstonia solanacearum,* biovar 2, Turkey, 973N
—scab, China, 1587N
—seed-piece decay, fludioxonil-resistant isolates, 172N
—*Tobacco rattle virus,* Minnesota and Wisconsin, 1254N
—*Tomato severe rugose virus,* Brazil, 487N
—*Tomato yellow fruit ring virus,* detection, 1280
—Verticillium wilt, detection in Oregon and Washington, 1127
—viruses and viroid, macroarray detection, 730
Potato leafroll virus, aphid vectors, 1515
Potato mop-top virus, Spongospora subterranea association, Costa Rica, 1171
Potato spindle tuber viroid, detection by macroarray, 730
Potato virus Y
—on *Nicotiana mutabilis,* France, 312N
—on potato, outbreak in Idaho, 1371N
—on tobacco, Ontario, Canada, 1586N
Pourrahim, R., 1280
Pradhanang, P., 1674
Praphat, K., 483N
Prasad, B., 1503
Prasanth, G., 311N
Pratylenchus spp.
—detection in soil, DNA extracts, 1480
—on dryland crops, soil distribution, 1662
—on pea and lentil, Idaho, 979N
Press, C. M., 314N
Pretorius, Z. A., 923
Prodi, A., 177N
Prunus spp., *Little cherry virus 2,* Poland, 1366N
—*P. avium:* bacterial canker, genetics, Michigan, 372; *Little cherry virus,* two viruses, 234; root and collar rot, Italy, 177N
—*P. mume, Cherry virus A,* China, 1589N
—*P. salicina,* gummosis, Taiwan, 483N
Prunus necrotic ringspot virus, on peach, Mexico, 482N
Pruvost, O., 977N, 980N, 1588N, 1591N
Pryor, B. M., 1625
Pseudomalmea declina, Aspergillus flavus, Peru, 974N
Pseudomonas spp.
—*P. syringae:* on pear, China, 832N; on *Pyracantha* and *Amelanchier* spp., Bulgaria, 1251N; on sweet cherry, genetic analysis, Michigan, 372
—*P. viridiflava,* on kiwi, blossom blight in Italy, 1707N
Pseudoperonospora spp.
—*P. cubensis:* on cucumber, physcion sensitivity, 1451; on *Sechium edule,* Taiwan, 1706N
—*P. humuli,* on hops, phenylamide insensitivity, 463
Psittacanthus cucularis, fruit, cover photo, July
Ptacek, J., 484N
Puccinia spp.
—*P. carduorum,* on Italian thistle, Tunisia, 174N
—*P. coronata,* on oat: detached-leaf method, 1400; virulence frequency, USA 2001-2005, 379
—*P. emaculata,* on switchgrass, Tennessee, 1710N
—*P. graminus,* on wheat, race TTKS, resistance gene *Sr24,* 923
—*P. hemerocallidis,* on daylily, South Africa, 1133N
—*P. kuehnii,* on sugarcane: Guatemala, 973N; USA, 175N
—*P. triticina:* on durum wheat, resistance, 469; resistance gene mapping, 1650; on wheat, genetics, 1111; on wheat, physiologic specialization in USA, 1241; on wheat, resistance genes, Mexico, 311N
Pucciniastrum spp.
—*P. americanum,* on raspberry, Argentina, 653N
—*P. vaccinii,* on blueberry, Hawaii, 1590N
Pueraria lobata, rust, Texas, 1369N
Pumpkin, viruses of, squash comparison, Illinois, 61
Pusey, P. L., 137
Putnam, M. L., 648N
Pyracantha coccinea, bacterial blight, Bulgaria, 1251N

Pyrenophora tritici-repentis
—on wheat: race 1 resistance, 91; resistance, 1229
—on wheat-alien species, resistance, 150
Pyrus spp.
—*P. calleryana*, powdery mildew, Hungary, 176N
—*P. communis*, fire blight, Morocco, 314N
Pythium spp.:on creeping bentgrass, pathogenicity and root growth, 862; on soybean, resistance, 763
—*P. aphanidermatum:* on bean, Spain, 174N; on bean stem, wrapper leaf, cover photo, January; on mekin, Honduras, 483N
—*P. splendens*, on muskmelon, Oman, 313N
—*P. volutum*, on creeping bentgrass, temperature effect, 1669

Qian, J., 832N
Qin, Q.-M., 69
Quick, R. A., 1643
Quinn, B. D., 486N, 1367N

Rabaglia, R. J., 215
Radcliffe, E. B., 1515
Raffaelea sp.: on avocado, Florida, 976N; on *Persea borbonia*, wilt, fungal symbiont, 215
—*R. lauricola*, on California laurel, wilt, 1469N
Raid, R., 1586N
Raj, S. K., 171N
Ralstonia spp.
—*R. pickettii:* on Bird of Paradise, cover photo, May; on Paradise tree, Italy, 835N
—*R. solanacearum:* on aquatic weeds and ponds, Florida, 1674; on potato, biovar 2 in Turkey, 973N; on tomato, screening method, Taiwan, 909
Rampersad, S. N., 1136N
Ränniäli, M., 1313
Ranunculus mild mosaic virus, on *Ranunculus asiaticus*, China, 1585N
Raphanus sativus, wilt and root rot, Italy, 651N
Raposo, R., 832N
Rasmussen, J. B., 1197
Rastogi, S., 832N
Raudino, F., 977N
Ray, J. D., 96
Reagan, T. E., 607
Rearick, E., 581
Reeser, P. W., 1252N
Reiser, J., 546
Reitz, S. R., 878
Ren, Y. Z., 1364N
Rengifo, J., 1589N
Renick, L. J., 372
Resistance
—apple to scab, isolate variation in Asia and Europe, 247
—apple rootstock to fire blight, 385
—*Brassica napus* to *Leptosphaeria maculans*, stabilization, 1208
—*Erwinia amylovora* to streptomycin, 714
—grape species to powdery mildew, ontogenic, 1067
—maize to Fusarium stalk rot, Africa, 772
—peanut to three root-knot nematode species, 631
—pepper to *Pepper mild mottle virus*, new pathotype, 1033
—*Phaseolus vulgaris* to: common blight, 546; Fusarium root rot, 1197
—*Phytophthora infestans* to fungicides, mutagenesis, 675
—potato to: common scab, auxin-induced, 1321; early blight, Wisconsin, 561; late blight, gene *RB*, 339; powdery scab, root galling, 1643
—rice to: blast, avirulence genes, 1144; sheath blight, 1503
—*Solanum pinpinellifolium* to *Tomato yellow leaf curl virus*, 1083
—soybean to: Pythium damping-off and root rot, 763; rust, Nigeria, 947; rust, Paraguay, 96
—taro to leaf blight, bioassay, 126
—tobacco to *Thanatephorus cucumeris*, seedlings, 425
—tobacco green spot, *N*-gene, 37
—tomato to *Tomato spotted wilt virus*, 694
—*Viburnum to Phytophthora ramorum*, 210
—*Vitis* spp. to downy mildew, variation, 1577
—wheat, alien species to tan spot and Stagonospora nodorum blotch, 150
—wheat to: leaf rust, 1111; leaf rust, durum, 469; leaf rust, gene mapping, 1650; *Pyrenophora tritici-repentis* race 1, 91; speckled snow mold, factors, 1021; stem rust, gene *Sr24*, 923; tan spot and Stagonospora nodurum leaf blotch, seedlings, 1229
Reviewers, acknowledgment, 178
Rey, M. E. C., 833N
Reyna-Martinez, J., 311N
Rezende, J. A. M., 1709N
Rhizobium spp., on chickpea, nematode interaction, 840
Rhizoctonia spp., on ginger, China, 312N
—*R. solani:* on African daisy, Italy, 1367N; on coastal redwoods, AG-IV, Taiwan, 655N; on durian, subgroup AG1-1D, Vietnam, 648N; on *Lagunaria patersonii*, Italy, 836N; on mung bean, California, 831N; on rice, inoculation method, 25; on rice, resistance, 1503; on sugar beet, fungicide factors, 1091
Rhizomania (see *Beet necrotic yellow vein virus*)
Ribeiro, O. K., 966
Riccioni, L., 1132N
Rice
—blast: Carolina foxtail as alternative host, 504; resistance genes, 1144
—sheath blight: inoculation method, 25; resistance, 1503
Rice stripe virus, epidemic in China, factors, 1190
Rice yellow mottle virus, in The Gambia, 316N
Richardson, P. A., 1201
Rideout, S. L., 392
Riga, E., 979N
Riley, M. B., 287, 1293
Rinehart, T. A., 83
Ristaino, J. B., 1439
Rivera, C., 175N, 1171, 1249N
Rivera, M. C., 171N
Rivera, V., 1589N
Rivera-Bustamante, R., 836N
Rivera-Varas, V., 741
Robène-Soustrade, I., 980N, 1591N
Roberts, A., 247
Roberts, J. A., 173N
Robinson, T. L., 385
Rodríguez, C. M., 1249N
Rodríguez, M. J., 1368N
Roenhorst, J. W., 973N
Rogers, M. E., 1547
Rojas, M. R., 781, 1248N
Román, B., 1709N
Romero, A. M., 980N
Romero, F., 176N
Rooney-Latham, S., 651N
Rosa multiflora cryptic virus, first in USA, 1706N
Rosa, R. A., 834N
Rosales, L. M., 588
Rose spring dwarf associated virus, on rose, characterization, 508
Rosenzweig, N., 555, 561
Rosner, A., 1033
Ross, J. J., 1321
Rossetti, A., 1707N
Rossi, J., 313N
Rosskopf, E. N., 975N
Rossman, A. Y., 173N, 966, 1376
Rothrock, C. S., 763
Rowe, R. C., 1127
Rowhani, A., 485N, 508
Roy, A. R., 1586N
Rubiales, D., 1368N
Rubin, A. E., 675
Rubus sp., *Tobacco ringspot virus*, Alabama, 1708N
—*R. idaeus:* late leaf rust, Argentina, 653N; nematode and *Tomato ringspot virus*, 364
Rubus yellow net virus, on *Rubus idaeus*, Alberta, 974N
Rudbeckia fulgida
—powdery mildew, Italy, 975N
—Verticillium wilt, Italy, 1367N
Rudolph, K., 649N
Rungnapha, K., 1135N
Rupe, J. C., 763
Ruppal, D., 1091
Rush, C. M., 344, 351
Russo, J., 966
Russo, N. L., 385, 714
Ryba-White, M., 808
Rybicki, E. P., 982N
Rysanek, P., 649N

Sabanadzovic, S., 1254N
Saborío-R., G., 175N, 1249N
Sadowski, C., 488N
Stagonospora nodorum, on wheat, seedling resistance, 1229
Sahin, F., 176N
Salaroli, R. B., 1364N
Salazar-Segura, M., 482N
Salehi, M., 649N
Salem, N., 508
Salsola tragus, anthracnose, Russia, 1366N
Salvinia spp., brown spot, Taiwan, 1589N
Samac, D. A., 623
Samad, A., 832N
Sánchez-Guerrero, M. C., 1137N
Sánchez-Navarro, J. A., 831N
Sanchez-Pina, M. A., 1139N
Sanderlin, R. S., 1124
Sanders, H. F., 974N
Santos, M., 483N, 709, 1371N
Santos-Cervantes, M. E., 1007
Saoud, H., 314N
Saponari, M., 253
Sasanelli, N., 1329
Saussurea involucrata, leaf spot, China, 318N
Savelle, A. T., 47, 961
Sawadaea tulasnei, on Norway maple:
—cover photo, March
—Wisconsin, 485N
Sawazaki, H. E., 487N
Sayler, R. J., 25
Schaad, N. W., 487N, 981N
Schafer, R. L., 1091
Scheffer, R. J., 192
Scherm, H., 47, 415, 961
Schlatter, T., 1091
Schmidt, S., 1369N
Schnabel, G., 415, 1099, 1293
Schneider, R. W., 1456
Schrandt, J., 966
Schreiner, R. P., 364
Schroeder, N. E., 656N
Schuenzel, E., 981N
Schwartz, H. F., 653N
Schwind, N., 973N
Schwingle, B. W., 642
Scibetta, S., 313N
Sclerotinia spp.
—*S. homoeocarpa:* on buffalograss, dollar spot, cover photo, August; on buffalograss, dollar

spot in Oklahoma, 1249N; fungicide resistance, genetic analysis, 83; on turfgrass, fungicide synergism, 601
—*S. minor:* on canola, Argentina, 172N; on *Ipomoea* spp., Texas, 482N; on pyrethrum, cover photo, September
—*S. sclerotiorum:* on African daisy, Italy, 982N; on *Argyranthemum frutescens*, Italy, 1250N; on bean, regression model, North Dakota, 42; on *Borago officinalis*, cover photo, December; in Italy, 1711N; on *Brassica napus*, Greece, 1473N; on *Calceolaria integrifolia*, Italy, 1133N; on carrot, fungicide and foliar trimming effect, 132; on *Lantana camara*, Italy, 1369N; on lettuce, biocontrol in desert agroecosystems, 1625; on peanut, symptoms, cover photo, October; on peanut, Texas, 1468N; sclerotial germination and apothecial production, temperature and water, 78; on soybean, light and controlled environment, 1510; on sweet basil, Turkey, 1471N
—*S. trifoliorum*, on chickpea, California, 917
Sclerotium rolfsii
—on bottle gourd, South Carolina, 656N
—on citrus, Sicily, 977N
—on hosta, overwintering in USA, 719
—on peanut, spray advisories, 392
Sechium edule, downy mildew, Taiwan, 1706N
Sechler, A., 487N, 981N
Secor, G. A., 741, 1589N
Seifers, D. L., 808
Seijo, T. E., 1432
Selcuk, F., 176N
Sémétey, O., 113
Sempere, R. N., 1139N
Sengooba, T., 1493
Seow-Brock, H. Y., 756
Septoria apiicola, on celery, management, 438
Sequoia sempervirens, Rhizoctonia blight, Taiwan, 655N
Serdani, M., 451
Sere, Y., 316N
Serfontein, S., 484N
Serrano, Y., 174N, 1137N
Seymour, L. M., 1710N
Shan, Z., 513
Shang, Z. T., 171N
Shanmugasundram, S., 1493
Sharma, I., 91
Shasany, A. K., 832N
Shaw, D. C., 988
Shaw, D. V., 542
Sheedy, J. G., 1480, 1662
Sheng, W.-X., 1190
Shepherd, D. N., 982N
Sheu, Z.-M., 751
Shew, H. D., 425, 492
Shi, Y. Z., 1134N
Shi, Z. H., 1364N
Shih, S. L., 1585N
Shiller, J. B., 1588N
Shimelis, H., 639
Shin, K. C., 312N, *488*
Shin, S.-C., 1248N, 1251N
Shine, J. M., Jr., 175N
Shiniti Uchimura, M., 655N
Shinners-Carnelley, T., 1707N
Sholberg, P. L., 451
Siampour, M., 649N
Silene dichotoma, anther smut, Turkey, 315N
Simplicillium lanosoniveum, on *Salvinia auriculata* and *S. molesta*, Taiwan, 1589N
Singh, R. P., 311N, 469, 923, 1111, 1650
Singh, S., 91
Sirex noctilio, symbiont of *Amylostereum areolatum*, on pine, Canada, 1138N
Sirococcus clavigignenti-juglandacearum, on butternut, resistance, 1336
Sisterson, M. S., 409
Sivasithamparam, K., 650N, 1208
Skantar, A., 1480
Skatenok, O., 1366N
Slaminko, T. L., 767
Smart, C. D., 953, 1488
Smiley, R. W., 1136N, 1480, 1662
Smith, B. J., 106
Smith, D. (Wis.), 485N
Smith, D. S. (Canada), 684
Smith, J. A., 976N
Smith, J. P., 1134N
Smith, J. R., 96
Smith, L. J., 575
Smith, N. B., 896
Smith, T. J., 137
Snehi, S. K., 171N
So, T., 1588N
Soil solarization
—*Tilletia indica* on wheat, Arizona, 1604
—Verticillium wilt of artichoke, 595
Solanaceae, pathogens in crops, detection, 953
Solanum spp. (see also Potato)
—*S. betaeum*, '*Candidatus* Liberibacter' species, New Zealand, 1588N
—*S. jasminoides: Citrus exocortis viroid, Tomato apical stunt viroid*, Germany, Netherlands, and Belgium, 973N; *Cucumber mosaic virus*, Italy, 1585N
—*S. pinpinellifolium, Tomato yellow leaf curl virus* resistance, 1083
Soler, J. M., 1357
Song, J. Y., 1247N
Sood, S. G., 175N
Sorghum, anthracnose, pathotypes in Arkansas, 1415
Sorho, F., 316N
Sorochan, J. C., 83, 1710N
Sorribas, F. J., 445
Souissi, T., 174N
Soule, M. J., 485N
Souza-Dias, J. A. C., 487N
Soybean
—*Cercospora kikuchii* and *Diaporthe phaseolorum*, seed colonization, 1038
—cyst nematode, resistance, Kentucky, 1475N
—cyst and root-knot nematode, management with biosolids, feature, 4
—fungicide seed treatments, North Dakota, 120
—Phytophthora root rot, metalaxyl sensitivity, 1062
—Phytophthora stem rot, calcium compound effect, 1559
—Pythium damping-off, resistance, 763
—rust: on *Erythrina herbacea*, 1472N; exotic germplasm in Uganda, 1493; Iowa, 975N; Nebraska, 1588N; resistance in Nigeria, 947; resistance in Paraguay, 96; winter survival in Florida, 1551
—Sclerotinia stem rot, light effect, 1510
Sphaeropsis pyriputrescens, on apple, Washington, 940
Sphaerotheca fuliginea, on cucumber, physcion sensitivity, 1451
Spicer, V., 808
Spilanthes oleracea, Tomato chlorotic spot virus, Brazil, 834N
Spiroplasma citri, on citrus, PCR detection, 253
Spongospoea subterranea
—on potato, resistance, 1643
—*Potato mop-top virus* association, on potato, Costa Rica, 1171
Spotts, R. A., 421, 451
Sprenkel, R., 878
Squash, Phytophthora blight, biocontrol, 1488
Squash vein yellowing virus, on *Momordica charantia*, detection, 1119
Stack, J. P., 808
Stagonospora nodorum, on wheat-alien species, resistance, 150
Stall, R. E., 1048
Standing, K. G., 808
Stanger, C., 555
Stanosz, G., 485N
Steadman, J. R., 401, 546
Steddom, K. C., 351
Stein, J. M., 344
Stemphylium spp.
—*S. botryosum*, on kiwi, Greece, 650N
—*S. vesicarium*, on radish, Italy, 651N
Stevens, M. (U.K.), 51
Stevens, M. R. (Utah), 694
Stevenson, K. L., 896, 1394, 1524
Stevenson, W. R., 555, 561
Stewart, J., 1091
Steyer, S., 973N
Stiles, C. M., 977N
Strausbaugh, C. A., 357, 581
Strauss, A., 1590N
Strawberry
—anthracnose, other hosts, 1432
—anthracnose fruit rot: Korea, 1247N; PCR for detection, 1655
—crown rot, California, 1253N
—fruit rot, Taiwan, 1248N
Strelitzia alba, leaf spot and blight, Italy, 835N
Strelkov, S. E., 456
Streptomyces spp., on potato, resistance, auxin and thaxtomin A., 1321
—*S. turgidiscabies*, on potato, China, 1587N
Strnadova, V., 1473N
Su, Q., 171N
Subbarao, K. V., 69, 1537, 1625
Sudarshana, M. R., 781
Sugar beet
—"basses richesses," insect vectors, France, 113
—*Beet necrotic yellow vein virus:* storability effect, 581; suppression by *Beet oak-leaf virus*, 1043
—*Beet western yellows virus*, molecular characterization, 51
—Cercospora leaf spot, infection site and survival, 741
—Rhizoctonia crown and root rot, fungicide factors, 1091
—rhizomania, postharvest storage loss, 575
—root rot, bacteria and yeast association, 357
—yellowing decline, *Fusarium*, 1589N
Sugar, D., 421
Sugarcane
—*Maize streak virus*, South Africa, 982N
—orange rust: Guatemala, 973N; USA, 175N
Sugarcane yellow leaf virus, aphid vector, distribution, 607
Sugimoto, T., 1559
Sugiyama, L., 1590N
Sun, G. Y., 794, 1471N, 1474N
Sun, X.-L., 1190
Sundin, G. W., 372
Susaimuthu, J., 1288
Sustaining associates, salute, 187
Sutton, T. B., 1215
Sutton, W., 1252N
Suzuki, F., 1164
Suzuki, G. S., 834N
Svanella-Dumas, L., 1589N
Sweet potato feathery mottle virus, Sweet potato leaf curl virus comparison, India, 311N
Sweet potato virus G, molecular genetics, Africa and Pacific Ocean areas, 1313
Swenson, A. S., 725
Swinglea glutinosa, Citrus necrosis virus, Colombia, 1364N
Symbiosis, ambrosia beetle and fungus, on redbay, 215
Syngonium podophyllum, bacterial leaf blight, Mauritius, 980N

Systematics, pathogenic fungi, relevance, feature, 1376
Szabo, L. J., 923

Tabernaemontana divaricata, Uredo manilensis, first in Western Hemisphere, 1711N
Tabiki, T., 1021
Taipe, A., 569
Takata, K., 1021
Talevi, S., 651N
Tanacetum cinerariifolium
—diseases and management, Tasmania, feature, 1260
—ray blight, fungicide management, 887
Tang, J. Z., 486N, 1134N, 1253N, 1367N
Tang, K. Z., 978N
Tanović, B., 1366N
Tarnowski, T. L. B., 961
Taylor, R. J., 492
Taylor, S. E., 164
TeBeest, D. O., 1415
Tegg, R. S., 1321
Teixeira, A. P. M., 1709N
Tekauz, A., 225
Téliz-Ortiz, D., 1249N
Tello, J. C., 709
Tello Marquina, J. C., 483N, 1371N
Temple, S. R., 917
Tessitori, M., 1585N
Thakur, V., 247
Thanatephorus cucumeris, on tobacco, seedling resistance, 425
Thielaviopsis basicola
—on lettuce, California, 1368N
—on pansy, pictorial disease severity key, 1394
Tho, N., 648N
Thomas, S. L., 314N
Thomidis, T., 650N
Thompson, A. L., 1480
Thompson, H. K., 1321
Thomson, J. L., 1177
Thrips tabaci, Tomato spotted wilt virus vector, on tobacco, insecticides, 1012
Thuan, T. T. M., 648N
Tian, S. M., 654N
Tian, T., 1254N
Tilletia spp.
—*T. indica,* on wheat: soil solarization, Arizona, 1604; teliospore recovery, Texas, 344; tillage effect on dispersal, 351
—*T. pulcherrima,* on switchgrass, Texas, 1707N
Tillman, B. L., 1307
Timila, R. D., 317N
Timper, P., 631
Tisserat, N., 660
Tjosvold, S. A., 1566
Tobacco (see also *Nicotiana* spp.)
—blue mold, Actigard effect on fungicides, 1463
—leaf curl, China, 177N
—*Thanatephorus cucumeris,* seedling resistance, 425
—*Tomato spotted wilt virus:* infection factors, 1524; management with insecticides, 1012
Tobacco mosaic virus
—on cigar wrapper leaf, cover photo, January
—on wrapper tobacco leaves, green spot, 37
Tobacco rattle virus, on potato:
—corky ringspot, Michigan, 485N
—cover photo, March, August
—Minnesota and Wisconsin, 1254N
Tobacco ringspot virus, on blackberry, Alabama, 1708N
Tobacco streak virus, on dahlia:
—Czech Republic, 484N
— New Zealand, 1138N
Tok, F. M., 1471N
Tomaso-Peterson, M., 482N, 1475N
Tomato (see also *Lycopersicon* spp.)
—bacterial canker, Korea, 1472N
—bacterial wilt, screening method, Taiwan, 909
—'*Candidatus* Liberibacter asiaticus', dodder transmission, 831N
—canker, Syria, 649N
—leaf curl, begomovirus association, China, 1585N
—leaf mold in greenhouse, Spain, 1371N
—little leaf phytoplasma, detection, Mexico, 1007
—*Pepino mosaic virus:* Canary Islands, Spain, 1590N; population genetics, 1683; seed transmission, 1701
—*Phytophthora infestans,* A2 mating type, China, 978N
—powdery mildew, China, 1370N
—root-knot nematode, Switzerland, 1370N
Tomato apical stunt viroid, on *Solanum jasminoides,* Belgium and Germany, 973N
Tomato chlorosis virus
—first report, Brazil, 1709N
—on tomato, mixed infections, Cuba, 836N
Tomato chlorotic spot virus, on *Spilanthes oleracea,* Brazil, 834N
Tomato ringspot virus, on raspberry, epidemiology, 364
Tomato severe rugose virus, on potato, Brazil, 487N
Tomato spotted wilt virus
—on peanut, field management, 1307
—resistance screenings in collections, 694
—thrips, management with oils and kaolin, 878
—on tobacco: infection factors, 1524; management with insecticides, 1012
Tomato torrado virus
—on pepper and eggplant, *Bemisia tabaci* vector, 1139N
—on weeds, Spain, 831N
Tomato yellow fruit ring virus, on potato, detection, 1280
Tomato yellow leaf curl virus, on tomato, resistance from *Solanum pinpinellifolium,* 1083
Tomimura, K., 1164
Tomsovsky, M., 1473N
Tooley, P. W., 431
Torés, J. A., 835N
Tornos, T., 1469N
Torrance, R., 974N
Torres, R., 653N, 1529
Touray, M. L., 316N
Traoré, Y. N., 977N
Trapero, A., 311N, 1252N, 1365N, 1421
Tredway, L. P., 173N, 862, 1669
Tricyrtis formosana, Tricyrtis Virus Y and *Lily virus X* on, USA, 648N
Tricyrtis Virus Y, on *Tricyrtis formosana, Lily virus X* comparison, 648N
Trigiano, R. N., 83
Triticum mosaic virus, on wheat, new in Kansas, 808
Troccoli, A., 1329
Truncatella sp., on blueberry, canker and twig dieback in Chile, 1407
Trzmiel, K., 981N
Tsay, J.-G., 1589N
Tsialtas, J. T., 1473N
Tukamuhabwa, P., 1493
Tumbalam, P., 1091
Tunali, B., 315N, 316N, 1299
Turechek, W. W., 648N, 1171, 1349
Turfgrass
—anthracnose, benzimidazole resistance, California, 239
—dollar spot: fungicide synergism, 601
—gray leaf spot, silicon factors, 870
Turini, T. A., 781
Turnip vein-clearing virus, on penstemon, red ringspot symptom, 725
Tuyen, B. C., 648N
Twieg, E., 854
Twizeyimana, M., 947
Tylenchulus semipenetrans
—on citrus, biotype in South Africa, 639
—on clementine mandarin, yield, Spain, 445
Tylka, G. L., 4
Typhula ishikariensis, on wheat, resistance, factors, 1021
Tzanetakis, I. E., 1288, 1706N
Tzavella-Klonari, K., 653N
Tzeng, K.-C., 909
Tziros, G. T., 653N, 1473N

Uçkun, Z., 1299
Uddin, W., 870
Ulyshen, M. D., 215
Uncinula necator, on grape, resistance, 1067
Unonopsis matthewsii, Aspergillus flavus, Peru, 974N
Unruh, T. R., 234
Upadhayay, D. N., 1586N
Upchurch, R. G., 1038
Úrbez-Torres, J. R., 519
Uredo manilensis, on crepe jasmine, cover photo, December; first in Western Hemisphere, 1711N
Urocystis agropyri, on fescue, Alaska, 652N
Uromyces appendiculatus, on bean, virulence diversity, 401
Usha Rani, R., 1469N
Ustun, N., 973N

Vaccinium spp. (see also Cranberry)
—canker and twig dieback, Chile, 1407
—*V. corymbosum:* leaf rust, Hawaii, 1590N; leaf spot, China, 171N; leaf spot and twig blight, new host, 171N
—*V. virgatum,* mummy berry, fungicides and phenology, 961
Vahdat, A., 1135N
Vajna, L., 176N
Valadez-Moctezuma, E., 979N
Valenzuela, P. D. T., 1252N, 1474N
Valerianella locusta, downy mildew, California, 1470N
Valero, J., 445
Valkonen, J. P. T., 1313
Vallad, G. E., 69
Vallee, P., 1208
Valvassori, M., 1132N
van Antwerpen, T., 982N
Van Buren, T., 648N
van den Berg, N., 484N
Vander Kooi, K. D., 132, 318N
Vannini, A., 177N, 1708N
Van Poucke, K., 1472N
Van Vaerenbergh, J., 1251N
Vargas, J. M., 83
Varsani, A., 982N
Vasquez, P., 171N
Vasquéz, V., 1171
Veeraraghavan, N., 966
Velásquez, N., 1708N
Velásquez-Valle, R., 650N
Ventura, J. A., 976N
Venturia inaequalis, on apple, isolate variation, Asia and Europe, 247
Verdejo-Lucas, S., 445
Verhoeven, J. Th. J., 973N
Verna, N., 175N
Vernière, C., 977N, 1588N
Vernonia cinerea, lethal yellowing group, Jamaica, 1132N
Verticillium spp., species characterization, lettuce and artichoke, 69
—*V. dahliae:* on artichoke, cauliflower residue and soil solarization, 595; on potato and mint, detection in Oregon and Washington, 1127;

on pumpkin, Trinidad, 1136N; on *Rudbeckia fulgida*, Italy, 1367N
Vettraino, A. M., 177N, 1708N
Viburnum spp., *Phytophthora ramorum*, susceptibility, 210
—*V. lucidum*, *Alfalfa mosaic virus*, Spain, 1132N
—*V. tinus*, *Phytophthora ramorum*, California, 314N
Vicent, A., 158, 1357
Vicia sativa, broomrape, Spain, 1368N
Vidaver, A. K., 546
Vigna radiata, *Rhizoctonia solani*, California, 831N
Vigne, E., 1689
Villalobos, W., 175N, 1249N
Vincelli, P., 660
Vine, B. G., 1444
Vinyard, B. T., 616
Viola × *wittrockiana*, black root rot, pictorial disease severity key, 1394
Viruega, J. R., 1365N
Viruses, on hop, epidemiology and management, feature, 324
Vitale, A., 836N, 1367N, 1471N, 1590N, 1708N
Vitale, S., 651N
Vitis spp. (see also Grape)
—downy mildew, resistance variation, 1577
Vitoreli, A., 1472N
Viveros, M. A., 409
Voeten, J. G. W. F., 192
Volin, J. C., 1369N
von Tiedemann, A., 649N
Voth, P., 725
Vovlas, N., 840, 1104, 1329
Vrancken, C., 1587N
Vukadin, A., 1468N

Waitea circinata, on *Poa trivialis*, Florida, 1586N
Walker, M. A., 276
Walker, N. R., 1249N
Wall, M. M., 487N
Waller, F., 1591N
Wallis, K. M., 451
Wang, A.-G., 1190
Wang, F., 1370N
Wang, G. F., 483N
Wang, H.-D., 1190
Wang, J.-F., 909
Wang, J. H., 1585N
Wang, L., 1370N
Wang, R.-C., 150
Wang, S. F., 1471N, 1474N
Wang, S. N., 1451
Wang, T.-C., 751, 978N
Wang, W. J., 1370N
Wang, X. F., 978N
Wang, Y. C., 1365N
Wang, Y. N., 655N
Ward, L. I., 1134N, 1588N
Ward, R., 923
Warfield, C. Y., 474
Wassenegger, M., 973N
Watanabe, K., 1559
Watermelon (see also Melon and Muskmelon)
—bacterial fruit blotch, Hungary, 834N
—Fusarium wilt, *Brassica* residue effect, 287
Watermelon and muskmelon, root rot and vine decline, epidemiology, 158
Watson, D. M., 988
Watson, S. R., 1588N
Webb, S. E., 648N, 1119
Wechter, W. P., 1134N
Wedge, D. E., 106
Wei, T., 1253
Westerdahl, B. B., 1537
Westerveld, S. M., 132
Wharton, P. S., 1091
Wheat
—aster yellows phytoplasma, field distribution, 623
—cyst nematode, Oregon, 1136N
—Fusarium head blight: chemotypes, Manitoba, 756; Luxembourg, 1587N; management economics, 1339
—Karnal bunt: soil solarization, 1604; teliospore recovery, Texas, 344; tillage effect on dispersal, 351
—kernal infection, *Fusarium langsethiae*, Poland, 488N
—leaf rust: genetics, 1111; physiologic specialization in USA, 1241; resistance gene mapping, 1650; resistance genes, 311N; rust resistance gene *Lr14a*, 469
—powdery mildew population, virulence structure in eastern USA, 1074
—*Pyrenophora tritici-repentis*, race 1, resistance, 91
—root and crown rot, causal fungi, 1299
—speckled snow mold, resistance, factors, 1021
—stem rust, race TTKS, resistance gene *Sr24*, 923
—tan spot and Stagonospora nodorum blotch, species derivatives, 150
—tan spot and Stagonospora nodurum leaf blotch, resistance, 1229
—*Triticum mosaic virus*, new in Kansas, 808
Wheat streak mosaic virus, occurrence in Slovakia, 1365N
Wheeler, T. A., 482N
White, J. F., Jr., 974N
Whitworth, J., 1371N
Wielgus, S., 339
Wiersma, J. V., 1339
William, H. M., 469, 1650
Wilson, C. R., 324, 887, 1260, 1321
Windham, A. S., 83
Windham, M. T., 83
Wintermantel, W. M., 51, 1251N, 1683
Wise, K. A., 295, 315N
Wisteria vein mosaic virus, on *Wisteria sinensis*, New Zealand, 1134N
Wong, F. P., 239
Wong, S. M., 317N
Wood, A. R., 1133N
Woodward, J. E., 482N, 896, 1468N
Workneh, F., 344, 351
Wright, D. L., 1472N, 1551
Wright, E. R., 171N, 653N
Wright, R. J., 1468N
Wu, B.-M., 917
Wu, K. K., 1134N
Wu, L., 504, 981N
Wu, Y. F., 1134N
Wu, Y. S., 655N
Wu, Z. J., 177N
Wunsch, M. J., 653N
Wylie, S. J., 1596

Xanthomonas spp.
—*X. axonopodis:* on citrus, Argentina, 652N; on citrus, control by bacteriophage, 1048; on grapefruit, image analysis, 530
—*X. campestris:* on arugula, Argentina, 980N; on bean, *X. fuscans* comparison, resistance, 546; on *Brassica*, South Carolina, 1134N; on *Brassica rapa*, symptom, cover photo, July; on cabbage, broccoli, and Brussels sprouts, Turkey, 176N; on syngonium, Mauritius, 980N
—*X. citri:* on citrus, Mali, 977N; on citrus, Somalia, 981N; on citrus, symptom types, 927; on lime, Cambodia, 1588N
—*X. cucurbitae*, on pumpkin, Réunion Island, 1591N
Xiao, C. L., 940
Xiang, L. B., 1451
Xie, G. L., 318N, 483N, 832N, 1135N
Xie, L. H., 177N
Xie, L. Y., 177N
Xiphinema spp.
—*X. americanum*, on raspberry, epidemiology, 364
—*X. dentatum*, in forest, Czech Republic, 1370N
Xoconostle-Cazares, B., 781
Xu, F. S., 832N
Xu, H., 1586N
Xu, L. H., 832N
Xu, S. S., 150, 1229
Xu, X., 247
Xu, Z., 719
Xue, H. Q., 1038
Xue, S., 456
Xue, X., 401
Xylella fastidiosa
—on almond, yield and management, 409
—on avocado, Costa Rica, 175N
—bioassay, *Nicotiana* cultivar, 14
—on *Nerium oleander*, Costa Rica, 1249N
—on pecan, hot-water treatment, 1124
—on *Vitis* spp., response pattern, microscopy, 276

Yamasaki, M., 1590N
Yamchuk, A., 808
Yan, G. P., 1136N, 1480
Yang, G. H., 312N
Yang, C. X., 177N
Yang, H. R., 1137N
Yang, J., 247
Yang, L. J., 1451
Yang, X. B., 78, 975N
Yang, X. J., 1451
Yang, X. M., 1585N
Yang, Y., 25
Yao, K. S., 483N, 1248N
Yap, M. L., 317N
Yasuda, N., 1144
Yik, C. P., 317N
Yokogi, T., 652N
Yokomi, R. K., 253
Yoshida, M., 1164
Yoshida, S., 1559
You, M. P., 650N
Young, J. R., 1475N
Yu, S. H., 1135N
Yu, X. M., 1587N
Yu, D. Z., 1451
Yue, H. N., 1134N
Yuen, J., 469, 1650

Zale, J., 1710N, 1707N
Zamani-Zadeh, H. R., 1280
Zantedeschia mosaic virus, on calla lily, New Zealand, 1253N
Zapata, R., 980N
Zasada, I. A., 4
Zee, F., 1590N
Zelaya-Molina, L. X., 979N
Zeng, F. S., 1451
Zhang, H. (Shihezi, China), 1364N
Zhang, H.-M. (Hangzhou, China), 1190
Zhang, J. (Hubei, China), 1133N
Zhang, J. X.(Henan, China), 486N
Zhang, J. X. (Minn.), 1111
Zhang, M., 486N
Zhang, N., 953
Zhang, P. C., 177N
Zhang, R., 1471N, 1474N
Zhang, Z. F., 1364N
Zhao, A. L., 486N
Zhao, H., 318N
Zhao, S., 318N, 1585N
Zhao, W. Q., 1587N
Zhao, Y. F., 315N
Zhou, C. Y., 978N

Zhou, L. J., 831N
Zhou, Q., 483N
Zhou, X. G., 652N
Zhu, B., 483N, 832N
Zhu, J. (Guangdong, China), 513
Zhu, J.-L. (Jiangxing, China), 1190
Zhu, W. M., 1370N
Ziems, A. D., 1588N
Zingiber officinale
—*Aspergillus niger,* India, 1368N
—rhizome blight, China, 312N
Zou, M. Q., 654N
Zou, Q., 1133N
Zoysia spp.,=urvularia blight, first report in USA, 173N
Zucchini yellow mosaic virus, on begonia:
—cover photo, August
—Taiwan, 1247N